

# Free Questions for H12-831\_V1.0 by go4braindumps

**Shared by Clark on 15-04-2024** 

For More Free Questions and Preparation Resources

**Check the Links on Last Page** 

## **Question 1**

**Question Type:** MultipleChoice

For the same MA, C address, manually configured MA, C entries have higher priority than automatically generated entries.

#### **Options:**

A- True

**B-** False

#### **Answer:**

Α

# **Question 2**

**Question Type:** MultipleChoice

In BGP/MPLS IP VPN, the 0SPF multi-instance process uses the DN bit to prevent Type5 LSA loops.

Options:	
A- True	
B- False	
Answer:	
В	
Question 3	
Question Type: MultipleChoice	
display interface GEO/O/O once, and found that the Total Eror count (the total number of error packets at the physical layer of the interface) is not correct. At this time, it can be concluded that the current time and fall has not disappeared.	
Options:	
A- True	

**B-** False


Α

# **Question 4**

### **Question Type:** MultipleChoice

As shown in the figure, on the R1 router, network administrator A sends the routing entry to R2 through the routing policy

After modifying the Local Preference value, you can control the path of traffic leaving the AS100



### **Options:**

A- Correct

- wrong
nswer:
uestion 5
stion Type: MultipleChoice
asic QinQ can choose the outer tag encapsulation method according to the business type.
ptions:
- True
- False
nswer:

# **Question 6**

#### **Question Type:** MultipleChoice

When 0SPFV2 evolves to 0SPFV3, the LSA format and function are exactly the same, but the network layer in the LSA address from IPv4 to IPv6o

### **Options:**

A- True

**B-** False

#### **Answer:**

В

## To Get Premium Files for H12-831\_V1.0 Visit

https://www.p2pexams.com/products/h12-831\_v1.0

### **For More Free Questions Visit**

https://www.p2pexams.com/huawei/pdf/h12-831-v1.0

