



**Free Questions for HPE6-A71 by go4braindumps**

**Shared by Weeks on 20-10-2022**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

## Question 1

---

### Question Type: MultipleChoice

---

An administrator supports a RAP at a branch office. A user's device that is attached to the Ethernet port is assigned an 802.1X AAA policy and is configured for tunneled mode.

How is the user's traffic transmitted to the corporate office?

#### Options:

---

- A- It is not encapsulated by GRE and not protected with IPsec.
- B- It is encapsulated by GRE and protected with IPsec.
- C- It is not encapsulated by GRE but is protected with IPsec.
- D- It is encapsulated by GRE and not protected with IPsec.

#### Answer:

---

B

## Question 2

---

**Question Type: MultipleChoice**

---

An administrator wants to implement bandwidth limits to restrict employee access to high-risk web sites. On the Mobility Master (MM), where would the administrator define these limits?

**Options:**

---

A- 802.1X policy

B- User role

C- Firewall policy

D- AAA policy

Bandwidth limit we can edit at "ROLE Page"

**Answer:**

---

B

## Question 3

---

**Question Type: MultipleChoice**

---

An administrator configures an ArubaOS switch for per-user tunneled mode. Which protocol does the switch use to communicate with the Aruba Mobility Controller (MC)?

**Options:**

---

- A- GRE
- B- SSL
- C- PAPI
- D- IPSec

**Answer:**

---

A

## Question 4

---

**Question Type: MultipleChoice**

---

Which protocol is used to tunnel user traffic when an administrator implements tunneled mode between an ArubaOS-Switch and an Aruba Mobility Controller (MC)?

**Options:**

---

A- IPSec

B- AMON

C- PAPI

D- GRE

**Answer:**

---

D

## Question 5

---

**Question Type: MultipleChoice**

---

IEEE 802.11r relies on which technology to reduce re-authentication delays when clients roam between APs?

**Options:**

---

A- Fast BSS Transition

- B-** Temporal Key Integrity
- C-** Robust Security Network
- D-** Opportunistic Key Caching

References:

**Answer:**

---

A

## Question 6

---

**Question Type:** MultipleChoice

---

An AP connects to a controller. Then, the AP loses power and reboots.

Which parameters will the AP remember and use from its initial connection? (Select two.)

**Options:**

---

- A-** AP group
- B-** Server IP

**C-** AP IP address and subnet mask

**D-** Mobility Master IP

**E-** AirWave server name

**Answer:**

---

A, B

## Question 7

---

**Question Type:** MultipleChoice

---

An administrator needs to modify a VAP used for a branch office RAP. The VAP's operating mode is currently defined as backup and uses tunnel mode forwarding. The administrator wants to implement split-tunnel forwarding mode in the VAP.

Which WLAN operating mode must the administrator define for the VAP before the tunnel forwarding mode can be changed to split-tunnel?

**Options:**

---

**A-** Persistent

- B- Standard
- C- Trusted
- D- Always

**Answer:**

---

B

## Question 8

---

**Question Type:** MultipleChoice

---

An administrator implements per-user tunneled node that involves ArubaOS-Switches and Aruba Mobility Controllers (MCs). What always happens when a wired client connects to the network?

**Options:**

---

- A- All switch traffic is tunneled to the controller.
- B- The switch performs user authentication.
- C- The tunnel fails unless VMCs are used.



D- Wired users map to an AAA profile on the controller.

**Answer:**

---

D


## Question 9

---

**Question Type:** MultipleChoice

---

Refer to the exhibit.



Which controller connection with the Aruba as the cluster leader?

**Options:**

---

**A-** Controller A

**B-** Controller B

**C-** Controller C

**D-** Controller D

**Answer:**

---

B

**To Get Premium Files for HPE6-A71 Visit**

**<https://www.p2pexams.com/products/hpe6-a71>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/hp/pdf/hpe6-a71>**

