Free Questions for LFCS by go4braindumps

Shared by Pierce on 29-01-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Which of the following details is NOT provided in any output from the netstat utility?

Options:

A- broadcast services

B- interface statistics

C- masquerading connections

D- network connections

E- routing tables

Answer:

A

Question 2

Which of the following commands will help identify a broken router between the local and the remote machine?

Question 3

Question Type: **FillInTheBlank**

With IPv6, how many bits have been used for the interface identifier of an unicast address? (Specify the number using digits only.)

Question 4

Question Type: **MultipleChoice**

What is the purpose of the nsswitch.conf file?

Options:

A- It is used to configure where the C library looks for system information such as host names and user passwords.

B- It is used to configure network protocol port numbers such as for HTTP or SMTP.

C- It is used to configure LDAP authentication services for the local system.

D- It is used to configure which network services will be turned on during the next system boot.

Answer:

A

Question 5

Question Type: **MultipleChoice**

What is the command to delete the default gateway from the system IP routing table? (Choose TWO correct answers.)

Options:

A- route del default

B- ifconfig unset default

C- netstat -r default

D- ip route del default

E- sysctl ipv4.default_gw=0

Answer:

A, D

Question 6

Question Type: **MultipleChoice**

Which of the following commands is used to rotate, compress, and mail system logs?

Options:

A- rotatelog

B- striplog

C- syslogd --rotate

D- logrotate

E- logger

Answer:

D

Question 7

Question Type: **MultipleChoice**

What is true regarding the file ~/.forward?

A- As it is owned by the MTA and not writable by the user, it must be edited using the editaliases command.

B- After editing ~/.forward the user must run newaliases to make the mail server aware of the changes.

C- Using ~/.forward, root may configure any email address whereas all other users may configure only their own addresses.

D- When configured correctly, ~/.forward can be used to forward each incoming mail to more than one other recipient.

Answer:

D

Question 8

Question Type: **MultipleChoice**

What is true about the ntpdate command?

Options:

A- It is the primary management command for the NTP time server.

B- It updates the local system's date (i.e. day, month and year) but not the time (i.e. hours, minutes, seconds).

C- It queries one or more NTP time servers and adjusts the system time accordingly.

D- It sends the local system time to one or many remote NTP time servers for redistribution.

E- It can be used by any user to set the user clock independently of the system clock.

Answer:

C

Question 9

Question Type: MultipleChoice

What entry can be added to the syslog.conf file to have all syslog messages generated by a system displayed on console 12?

Options:

A- *.* /dev/tty12

B- /var/log/messages | /dev/tty12

C- | /dev/tty12

D- syslog tty12

E- mail.* /dev/tty12

Answer:

A

Question 10

Question Type: MultipleChoice

Which of the following is a legacy program provided by CUPS for sending files to the printer queues on the command line?

Options:

A- lpd

B- lpp

C- lpq

D- lpr

Answer:

D

Question 11

Question Type: FillInTheBlank

Please specify the top directory containing the configuration files for the CUPS printing system. (Specify the full path to the directory.)

Answer:

Question 12

Question Type: FillInTheBlank

Which command, available with all MTAs, is used to list the contents of the MTA's mail queue? (Specify ONLY the command without any path or parameters.)

Answer: