

Free Questions for NS0-162 by go4braindumps

Shared by Workman on 06-06-2022


For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Exhibit.



A user cannot save a file on an ONTAP SMB share.

Referring to the exhibit, which action allows the user to save the file?

Options:

- A- Allow the file type *, rtf In the CIFS Server fpolicy.
- B- Let the user save the file to a writeable location.
- C- Synchronize the ONTAP Cluster time to the Active Directory time.
- D- Set the user permission for the share to write.

Answer:

В

Question 2

Question Type: MultipleChoice

Your company has purchased two NetApp AFF A400 HA pairs. During deployment, how many root aggregates are created?

Options:						
A- 6						
B- 4						
C- 2						
D- 8						
Answer:						
В						
Question 3						
	Choice					
	Choice					
Question 3 Question Type: Multiple Which two storage ef		enabled by defaul	t on AFF systems?	(Choose two.)		
Question Type: Multiple		enabled by defaul	t on AFF systems?	(Choose two.)		
Question Type: Multiple		enabled by defaul	t on AFF systems?	(Choose two.)		

- **B-** aggregate-level compression
- C- aggregate-level inline deduplication
- D- volume-level Inline deduplication

Answer:

C, D

Question 4

Question Type: MultipleChoice

Exhibit.

Op Size	Size	ze Total		Latency(ms)			Throughput
			min	max	avg		
PUT	4MB	50000	0	273	10500	719	277.3MB
GET	4KB	5000000	0	4	9591	38	48.46MB
GET	8KB	5000000	9	5	10021	37	123.3MB
GET	32KB	5000000	0	7	7889	60	475.3MB
GET	256KB	2125276	0	21	7838	450	530.7MB

You have a NetApp AFF A400 HA pair with Fabric Pool enabled on all data using the snapshot-only policy. Users are reporting slow
restores when they recover files with the Windows Previous Versions tab.

Referring to the exhibit, what is the highest latency seen on restore?

Options:				
A- 10500				
B- 10021				
C- 9591				
D- 7889				
Answer:				

Explanation:

В

the user retrieve files, which is a GET operation. You can use the S3 GET Object request to retrieve an object from an S3 bucket. https://docs.netapp.com/sgws-113/index.jsp?topic=%2Fcom.netapp.doc.sg-s3%2FGUID-8B7BB6D4-FA59-4E82-BEAC-45DA8C642029.html

Question 5

Question Type: MultipleChoice

When you perform an upgrade using ONTAP System Manager 9.8, which two statements are true? (Choose two.)

Options:

- A- The latest available Images will appear In the ONTAP System Manager interface.
- B- The images will be automatically uploaded to the cluster by using the ONTAP System Manager interface from the NetApp Support site.
- C- The update history is available within the ONTAP System Manager interface.
- D- The Images must be manually uploaded to the cluster by using the ONTAP System Manager interface.


Answer:

C, D

Question 6

Question Type: MultipleChoice

Exhibit.



You have an SVM-DR relationship as shown in the exhibit. You are given a new requirement to use SnapMirror Synchronous (SMS) for the data volumes In NFS-SVM-01.

In this scenario, which solution Is supported to enable SMS in ONTAP 9.8 software?

Options:

- A- Set up new SM-S relationships from the AFF A220 to a new destination.
- B- Set up new SM-S relationships from the FAS2720 to a new destination.
- C- Set up NetApp Cloud Sync with a cloud broker in AWS to replicate to a new destination.

D- Modify the existing SVM-DR policy to use sync mode.

Answer:

С

Question 7

Question Type: MultipleChoice

Your company runs a NetApp AFF A220 cluster as a file server for NFS and SMB. You want to use one of the unused ports to connect a single Windows host directly, using FC. You have converted the UTA2 ports e0e and e0f to FC and equipped them with a 16-Gbps FC transceiver. Your Windows host fails to connect to the storage.

In this scenario, which action solves the problem?

Options:

- A- Use an FC switch between storage and host.
- B- Use the arbitrated loop topology on storage and host.
- **C-** Use the point-to-point topology on all ports.

D- Use an Ethernet switch between storage and host.

Answer:

Α

Explanation:

You can configure FC and FC-NVMe SAN hosts with single nodes through one or more fabrics. N-Port ID Virtualization (NPIV) is required and must be enabled on all FC switches in the fabric. You cannot directly attach FC or FC-NMVE SAN hosts to single nodes without using an FC switch.

Question 8

Question Type: MultipleChoice

Exhibit.

A Linux host with the 10.0.1.24 IP address is unable to mount the VOL_A volume using NFSv3.

Referring to the exhibit, what is the problem?

Options:

- A- The host IP address does not match the export policy rule.
- B- The volume is in read-only.
- C- The volume is not mounted In the namespace.
- **D-** The logical Interface does not allow the NFSv3 protocol.

-					
Λ	n	C	A	/e	P =
$\boldsymbol{-}$		3	VV	<i>-</i>	

С

Explanation:

The volume is not mounted in the namespace. https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.cdot-famg-nfs%2FGUID-8E400D78-B405-4682-8F33-143783F2D580.html

Even if the volume was read only it could be mounted - also the client IP is in the desired range and LIF is configured for NFS.


Question 9

Question Type: MultipleChoice

After attempting to perform an ONTAP upgrade. It falls during the pre-check. In this scenario, what would cause this problem?

Options:

A- encrypted volumes



D- 12-node cluster

Λ	n	0		_	Nº	
А	П	SI	w	e	г	ī

С

To Get Premium Files for NS0-162 Visit

https://www.p2pexams.com/products/ns0-162

For More Free Questions Visit

https://www.p2pexams.com/netapp/pdf/ns0-162

