Free Questions for **UiPath-SAIv1** by **go4braindumps**

Shared by **Baldwin** on **29-01-2024**

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Which of the following options is accepted as a Column field name in Document Manager?

Options:

A- first_n@me

**B-** first name

C- f1rst-name

D- First_name123

Answer:

D

Question 2

Which role consumes ML Skills within customized workflows in Studio using the ML Skill activity from the UiPath.MLServices.Activities package?

Options:

A- Data Scientist.

B- Administrator.

C- RPA Developer.

D Process Controller

Answer:

C

Question 3

Question Type: **MultipleChoice**

What does adding missed labels help improve in UiPath Communications Mining?

Options:

A- Label bias warnings.

B- Increases data security.

C- Increases the taxonomy coverage.

D- Label precision and recall.

Answer:

D

Question 4

Under what condition can a project be deleted in UiPath AI Center?

Options:

A- If it does not have any pipeline data.

B- If it does not have any running pipelines.

C- If it does not have any deployed packages.

D- If it does not have any scheduled pipelines.

Answer:

C

Question 5

What is the purpose of the "Explore" phase in UiPath Communications Mining?

Options:

A- To fully review and correctly tag the model version, regardless if it's 'Live' or 'Staging'.

B- To use the bulk label functionality, a helpful tool to quickly train the model when searching for specific terms.

C- To provide each label/entity in a taxonomy with enough training examples so the model can make accurate predictions at scale.

D- To review the clusters of similar communications from a data set that unsupervised learning automatically found.

Answer:

C

Question 6

Question Type: **MultipleChoice**

Under what condition can a dataset be edited in UiPath AI Center?

Options:

A- If it is not being used in any active pipeline.

B- If it has not been modified within the last 24 hours.

C- There are no restrictions in editing a dataset.

**D-** If it is not linked to any data labeling session.

Answer:

A

Question 7

How do you load a taxonomy from a given non-default location text file into a variable?

Instructions: Drag the steps found on the "Left" and drop them on the "Right" in the correct order.

Steps

Order of Steps

0 Use the Read Text File activity on the most recent variable created. Next, create a new variable "taxonomyText", then save the output of the Read Text File activity to "taxonomyText". Then, add an Assign activity and set the "Save To" property to the first variable you created.

First   0

0 Create a new variable of type "DocumentTaxonomy" called "documentTaxonomy", then create a new string variable called "taxonomyPath".

Second   0

0 Using an Assign activity, assign the given non-default taxonomy text file path to the most recent variable created.

Third   0

0 Inside the last Assign activity "Value to Save" property add the following expression: "Newtonsoft.Json.JsonConvert.DeserializeObject(Of DocumentTaxonomy)(<mostRecentVariableCreated>)" "where <mostRecentVariableCreated> is the most recent variable you created.

Fourth   0

To Get Premium Files for UiPath-SAIv1 Visit

For More Free Questions Visit

20% DISCOUNT