



Free Questions for [HPE0-V14](#) by [certscare](#)

Shared by [Scott](#) on [20-10-2022](#)

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

A customer Just purchased a ProLiant DL380 Gen 10 and wants to learn more about HPE Intelligent Provisioning features. Which task can the customer complete using HPE Intelligent Provisioning?

Options:

- A- download Active Health system log
- B- retrieve warranty status of the server
- C- configure ILO Federation groups
- D- retrieve Customer Advisories for the server

Answer:

A

Question 2

Question Type: MultipleChoice

You are troubleshooting an HPE Proliant ML350 Gen server. You determine that the active ROM is corrupt and the system has not automatically switched to the redundant ROM. You need to manually switch the ROM.

What should you do?

Options:

- A- Select the backup ROM in the BIOS.
- B- Reset the iLO controller
- C- Change the position of the system maintenance switch options.
- D- Move the system maintenance jumper to pins one and two.

Answer:

C

Question 3

Question Type: MultipleChoice

A customer is planning an upgrade to their network. They need to combine multiple existing switches into one virtual device.

Which technology should the customer configure on their existing switches?

Options:

- A- Multi-chassis Link Aggregation (MLAG)
- B- Link Aggregation Control Protocol (LACP)
- C- Rapid Spanning Tree Protocol (RSTP)
- D- Intelligent Resilient Framework (IRF)

Answer:

D

Question 4

Question Type: MultipleChoice

A customer has an ESXi server in a branch office They need to perform backups locally. The local backups must be replicated to the main data center with built-in deduplication

What should the customer install at the branch office?

Options:

A- StoreOnce 3100

B- StoreOnce VSA

C- MSA 2042

D- Storevirtual VSA

Answer:

D

Question 5

Question Type: MultipleChoice

A customer needs to share files among their Microsoft Windows servers cost-effectively and requires disaster support Which native StoreEasy features win address the customer's need? (select two)

recovery

Options:

- A- Dual controller architecture
- B- DFS-Replication
- C- Microsoft Azure support
- D- Enhanced data deduplication
- E- File classification infrastructure

Answer:

C, D

Question 6

Question Type: MultipleChoice

A customer is planning to purchase new MPE rack-mount servers for their data center. The customer has an exist storage environment and wants to minimize required rack space and local storage.

Which HPE server should they install?

Options:

- A- ProLiant DL360 Gen 10
- B- ProLiant ML350 Gen 10
- C- ProLiant DL390 Gen 10
- D- ProLiant BL-460C Gen 10

Answer:

A

Question 7

Question Type: MultipleChoice

Which security feature is unique to HPE ProLiant Gen10 servers?

Options:

- A- Advanced auditing capability in the processor detects suspicious behavior in the kernel?

- B-** Persistent memory protects virtual machines from compromises in the network fabric
- C-** Increased application isolation controls network traffic to virtual machines
- D-** With the silicon root of trust, Gen10 servers can detect compromised firmware

Answer:

D

Question 8

Question Type: MultipleChoice

A customer is standardized on high-density, rack-mounted servers. They have an application that requires 3 six-drive RAID6 groups and redundant 10 Gb NICs.

What is the highest-density server that meets these customer requirements?

Options:

A- DL580 Gen10

B- DL360 Gen10

C- DL380 Gen10

D- BL460c Gen10

Answer:

C

Question 9

Question Type: MultipleChoice

You are working on a server, and you notice that the blue UID light on the server is flashing slowly.

What does this indicate?

Options:

A- The host server is in standby mode

B- The system is being managed remotely

C- The host has rebooted and is performing POST actions

D- The system is experiencing power issues

Answer:

B

Question 10

Question Type: MultipleChoice

A customer needs to increase the availability and bandwidth of network connectivity to their servers.

Which switch feature meets the customer's needs?

Options:

A- Remote direct memory access over Converged Ethernet (RoCE)

B- Virtual Local Area Network (VLAN)

C- Jumbo frames

D- Link Aggregation and Control Protocol (LACP)

Answer:

D

Question 11

Question Type: MultipleChoice

While troubleshooting a HPE ProLiant Gen10 rack-mount server, you determine that the current and backup system ROMs are corrupt.

What should be the next step to fix the server?

Options:

- A- Restore the system firmware from a USB drive
- B- Restore the system firmware from a UEFI shell prompt
- C- Replace the CMOS battery
- D- Restore the system firmware from the iLO repository
- E- Replace the system board

Answer:

E

To Get Premium Files for HPE0-V14 Visit

<https://www.p2pexams.com/products/hpe0-v14>

For More Free Questions Visit

<https://www.p2pexams.com/hp/pdf/hpe0-v14>

