



**Free Questions for HPE6-A66 by vceexamstest**

**Shared by Larson on 06-06-2022**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

## Question 1

---

**Question Type:** MultipleChoice

---

A network architect is designing a Wi-Fi solution for a customer using Aruba Central's VisualRF tool. When creating a Campus view, how would the network architect pull in a map that displayed the campus location in a city?

### Options:

---

- A- Import the longitude and latitude information from any web-based map site
- B- Import the longitude and latitude information from Google Maps
- C- Create a screen capture from any web-based map site and import the picture file
- D- Use VisualRF's built-in map tool and define the appropriate longitude and latitude information

### Answer:

---

A

## Question 2

---

**Question Type:** MultipleChoice

---

A company has chosen an Aruba mobility controller solution for the redesign of their wireless network. The design will have two 7205 controllers in a cluster for campus employees and a single VMC-50 virtual controller for remote access via a DMZ. A Mobility Master (MM) is used for centralized license and controller management. All controllers will minimally run ArubaOS 8.4 or later. Currently the company has 1,000 employees. There are 30 branch offices that will use RAPs to connect to the DMZ controller. A peak of 100 users concurrently using the VIA client will also connect to the DMZ controller.

How many Aruba LIC-VIA licenses does the company need to purchase for this solution?

**Options:**

---

A- 100

B- 1

C- 1,030

D- 130

**Answer:**

---

C

## Question 3

---

**Question Type: MultipleChoice**

---

Which component uniquely defines the BSSID when implementing an employee SSID?

**Options:**

---

- A- Case-sensitive SSID name
- B- Radio MAC address
- C- Wireless device MAC address
- D- Case-insensitive SSID name

**Answer:**

---

C

## Question 4

---

**Question Type: MultipleChoice**

---

A customer has over 100 access layer switches. The customer requires user authentication done via the Aruba Dynamic Segmentation feature. What components are required to implement this solution? (Select two.)

**Options:**

---

- A- enterprise authentication server
- B- Aruba APs
- C- Aruba mobility controller
- D- AirWave server
- E- Active Directory server

**Answer:**

---

C, D

## Question 5

---

**Question Type: MultipleChoice**

---

A network architect is designing a new wireless solution for a company. The company needs seamless roaming and client and AP active load balancing. The company also requires an Aruba Mobility Master (MM) to manage the wireless infrastructure. Which Aruba feature does the architect need to include in the design?

**Options:**

---

- A- Clustering
- B- AirMatch
- C- Client Match
- D- IAP VC

**Answer:**

---

A

## Question 6

---

**Question Type:** MultipleChoice

---

A network architect is designing a new wired and wireless solution for for a company. The company has two buildings on a campus, which each building has three floors. The campus core will be placed in the basement of Building 1. Each wiring closet has eight strands of multi-mode OM3 grade fiber that connect to a wiring closet of the first floor of the building it is contained, referred to as a main distribution frame (MDF). The maximum distance between a floor's wiring closet and the MDF is 100 feet (30 meters). The maximum distance between the two MDFs and the campus core is no more than 150 feet (45 meters). There are eight strands of multi-mode OM3 grade fiber from these two MDF closets to the campus core.

Based on this information, which type of design should be used and what is the maximum speeds supported all uplinks for the existing the multi-mode fiber?

**Options:**

---

- A- three-tier and 10 Gbps
- B- three-tier and 40 Gbps
- C- two-tier and 10 Gbps
- D- two-tier and 40 Gbps

**Answer:**

---

A

## Question 7

---

**Question Type: MultipleChoice**

---

A network architect needs to plan a new wireless network

**Options:**

---

- A- Central only

**B-** Airwave and Central only

**C-** Airwave, Central, Windows, Mac OSX, and Linux

**D-** Airwave, Central, and Windows only

**Answer:**

---

B

## Question 8

---

**Question Type:** MultipleChoice

---

A network architect has developed a design for a new Aruba Wi-Fi network that will include a hardware Mobility Master (MM) running the ArubaOS 8.4 operating system that will manage:

\* Two clustered 7205 controllers with 300 campus APs

\* Two clustered VMC-50 controllers with 75 remote APs

The architect plans on creating user roles, firewall policies, and wireless IPS policies on the controllers as well as implementing AirMatch. What would meet the license requirements for this scenario?



**Options:**

---

**A-** LIC-MC-VA-50 (X2), LIC-AP (375), PEF (X375), RFP (X375)

**B-** LIC-MC-VA-50 (x1), LIC-AP (300), PEF (X300). RFP (x300)

**C-** LIC-MM-VA-50, LIC-MC-VA-50 (X1), LIC-AP (X300), PEF <x300). RFP (x300)

**D-** LIC-MM-VA-500. LIC-MC-VA-50 (X2), LIC-AP <x375). PEF (x375). RFP (x375)

**Answer:**

---

C

**To Get Premium Files for HPE6-A66 Visit**

**<https://www.p2pexams.com/products/hpe6-a66>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/hp/pdf/hpe6-a66>**

