



**Free Questions for HPE6-A72 by certscare**

**Shared by Solomon on 29-01-2024**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

## Question 1

---

**Question Type:** MultipleChoice

---

Which security benefit does SNMPv3 offer that SNMPv2 does not offer?

**Options:**

---

- A- SSL encryption
- B- Scopes
- C- Data confidentiality
- D- RADIUS groups

**Answer:**

---

C

## Question 2

---

**Question Type:** MultipleChoice

---

Which two options are correct regarding the IEEE 802.11ax standard? (Choose two.)

**Options:**

---

- A-** allows transmissions of up to 4.8Gbps
- B-** is an emerging satellite connection standard to allow wireless access anywhere in the world
- C-** operates only in the 5GHz similar to 802.11ac
- D-** operates in both the 2.4GHz and 5GHz radios bands
- E-** is the first WLAN standard to no longer use electromagnetic signals to transmit data

**Answer:**

---

A, D

## Question 3

---

**Question Type: DragDrop**

---

Match the available stacking feature to the correct AOS-CX switch model. Stacking features may be used more than once.

## Stacking Feature

## Answer Area

Answer:

Stacking

AOS-CX

Feature

Switch Model

6300M

6300F

8320

8400

6400

## Question 4

Question Type: MultipleChoice

Which two commands will save the running-config so that changes will be loaded automatically on the next reboot? (Choose two.)

### Options:

A- write memory

B- save

C- copy config config1 config startup-config

D- copy running-config startup-config

E- copy running-config checkpoint boot-config

### Answer:

A, D

## Question 5

---

**Question Type:** MultipleChoice

---

Core(config)# user admin password

Core(config)# interface mgmt

Core(config-if-mgmt)# ip static 10.254.16.89/22

Core(config-if-mgmt)# default-gateway 10.254.19.129

Core(config)# ssh server vrf mgmt

Core(config)# https-server vrf mgmt

You are tasked with configuring the Core switch to be managed by NetEdit. Currently, the Core switch is at factory-default settings.

Which two steps are missing? (Choose two.)

**Options:**

---

- A- Core(config)# https-server rest access-mode read-write
- B- Core(config-if-mgmt)# no shutdown
- C- Core(config-if-mgmt)# no tftp-server
- D- Core(config-if-mgmt)# enable
- E- Core(config)# https-server rest access-mode read-only

**Answer:**

---

A, B

## Question 6

---

**Question Type:** MultipleChoice

---

Refer to the exhibit.

```
SW1# show vlan
-----
VLAN    Name                Status    Reason    Type         Interfaces
-----
1       DEFAULT_VLAN_1    up        ok        default      <output omitted>
10      Engineering        up        ok        static       1/1/1-1/1/7
20      Guest             up        ok        static       1/1/11-1/1/14
```

The above command was applied to an Aruba AOS-CX 6300M 24-port switch with 4-port SFP56 uplinks. All ports are set as access switchports.

Which ports carry VLAN 1 traffic?

**Options:**

---

A- 1/1/8, 1/1/10, 1/1/5-1/1/24

B- 1/1/1-1/1/28

C- 1/1/1-1/1/24

D- 1/1/8-1/1/10, 1/1/5-1/1/28

**Answer:**

---

D

## Question 7

---

**Question Type: Hotspot**


---

Click on the colored box that corresponds with the line that best represents Broadcast traffic flow.

**Answer Area**



Answer:





**To Get Premium Files for HPE6-A72 Visit**

**<https://www.p2pexams.com/products/hpe6-a72>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/hp/pdf/hpe6-a72>**

