



Free Questions for H11-861 by [braindumpscollection](#)

Shared by [Holcomb](#) on [29-01-2024](#)

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

The signaling "setup" means the calling endpoint sends a call request to the called endpoint.()

Options:

A- TRUE

B- FALSE

Answer:

A

Question 2

Question Type: MultipleChoice

When the protocol and format have been specified on the endpoint, the sharp and smooth policy becomes invalid. ()

Options:

A- TRUE

B- FALSE

Answer:

A

Question 3

Question Type: MultipleChoice

White balance reproduces whiteness to keep the true colors of white objects under casting of any light sources. Specifically, if the white color differentiates under casting of certain light sources, the white balance technique reproduces the whiteness faithfully ()

Options:

A- TRUE

B- FALSE

Answer:

A

Question 4

Question Type: MultipleChoice

One of the primary uses of RTCP is reception quality reporting, which is accomplished through RTCP receiver report (RR) packets, which are sent by all participants who receive dat

a. ()

Options:

A- TRUE

B- FALSE

Answer:

A

Question 5

Question Type: MultipleChoice

For SDP, the m line, also the media line, describes the media types supported by the calling party, the second parameter indicates().

Options:

- A- the media name
- B- the port number
- C- the transmission protocol
- D- four payload-type numbers

Answer:

B

Question 6

Question Type: MultipleChoice

On the endpoint web interface, we can set parameters related to captions. T.140 captions include banners, middle captions, and instant messages. Banners and middle captions can be displayed independently from or together with captions. Instant messages can be sent from point to point, broadcasted, or sent to specified sites. ()

Options:

A- TRUE

B- FALSE

Answer:

A

Question 7

Question Type: MultipleChoice

Firewall is a kind of protection to prevent network attack, and protect the legal communication between two networks. ()

Options:

A- TRUE

B- FALSE

Answer:

A

Question 8

Question Type: MultipleChoice

The MCU needs to decode videos of all endpoints involved in the continuous presence, code the video into one channel of video, and transmit the video to all endpoints that need to view the continuous presence.()

Options:

A- TRUE

B- FALSE

Answer:

B

Question 9

Question Type: MultipleChoice

Methods for upgrading the MCU software include (). (Select 2 answers)

Options:

- A- Upgrade using the embedded web server
- B- Upgrade using FTP
- C- Minimized upgrade
- D- All of the above

Answer:

A, B

Question 10

Question Type: MultipleChoice

The cascaded conference can have no more than three layers. ()

Options:

A- TRUE

B- FALSE

Answer:

B

Question 11

Question Type: MultipleChoice

For MCU Video Firewall Mode, the original firewall settings (for example, ports that are enabled) need to be changed. ()

Options:

A- TRUE

B- FALSE

Answer:

B

Question 12

Question Type: MultipleChoice

The GK must be installed on drive C or D.()

Options:

A- TRUE

B- FALSE

Answer:

A

To Get Premium Files for H11-861 Visit

<https://www.p2pexams.com/products/h11-861>

For More Free Questions Visit

<https://www.p2pexams.com/huawei/pdf/h11-861>

