



**Free Questions for H12-811\_V1.0 by actualtestdumps**

**Shared by Farley on 07-06-2022**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

## Question 1

---

**Question Type:** MultipleChoice

---

How many bytes is the length of the basic IPV6 header?

**Options:**

---

- A) 64
- B) 40
- C) 32
- D) 48

**Answer:**

---

B

## Question 2

---

**Question Type:** MultipleChoice

---

Which of the following refers to network communication?

**Options:**

---

- A) Download emails from the company's mailbox to your computer
- B) Use a computer to visit the company's official website
- C) Use instant messaging software (eg, QQ, WeChat) to chat with friends
- D) Use computer to watch videos online

**Answer:**

---

A, B, C, D

## Question 3

---

**Question Type:** MultipleChoice

---

The figure shows the routing table of router R1. If R1 sends a packet with a destination IP address of 10.0.2.2, which interface needs to be sent from?

**Options:**

---

- A) Ethernet 0/0/2
- B) Ethernet 0/0/0
- C) Ethernet 0/0/1
- D) GigabitEthernet 0/0/0

**Answer:**

---

C

## Question 4

---

**Question Type: MultipleChoice**

---

Regarding the role of the ARP protocol and packet encapsulation, which one is correct?

**Options:**

---

- A) The ARP cache on the network device can only be obtained through the ARP protocol

- B) ARP protocol is based on Ethernet encapsulation
- C) ARP protocol supports deployment on PPP link and HDLC link
- D) The MAC address and UUID address of the destination can be obtained through the ARP protocol

**Answer:**

---

A, B

## Question 5

---

**Question Type:** MultipleChoice

---

When planning a campus network, you can plan VLANs according to business types.

**Options:**

---

- A) True
- B) False

**Answer:**

---

A

## Question 6

---

**Question Type:** MultipleChoice

---

How to enter the view of OSPF area 0 in the VRP operating system?

**Options:**

---

- A) ?Huawei-ospf-1?area 0
- B) [Huawei-ospf-1] area 0 enable
- C) [Huawei-ospf-1] area 0.0.0.0
- D) ?Huawei?ospf area 0

**Answer:**

---

A, C

## Question 7

---

**Question Type: MultipleChoice**

---

What are the stable states of OSPF neighbor relationship?

**Options:**

---

- A) FULL
- B) Attempt
- C) 2-Way
- D) Down

**Answer:**

---

A, C, D

## Question 8

---

**Question Type: MultipleChoice**

---

On the VRP platform, which of the following methods can be used to access the previous history command?

**Options:**

---

- A) Ctrl+U
- B) Left cursor
- C) Ctrl+P
- D) Up cursor

**Answer:**

---

D

## Question 9

---

**Question Type: MultipleChoice**

---

The link aggregation interface can only be used as a Layer 2 interface.

**Options:**

---

- A) True



**B) False**

**Answer:**

---

B

## **Question 10**

---

**Question Type: MultipleChoice**

---

When Huawei switches run STP, the priority of the switch is () by default.

**Options:**

---

**A) 4096**

**B) 32768**

**C) 16384**

**D) 8192**

**Answer:**

---

B

## Question 11

---

**Question Type:** MultipleChoice

---

In the RSTP protocol, when the root port fails, () will quickly convert to the new root port and immediately enter the forwarding state.

**Options:**

---

- A) Backup port
- B) Forwarding port
- C) Alternate port
- D) Edge port

**Answer:**

---

C

## Question 12

---

**Question Type: MultipleChoice**

---

Which information of the data frame is used by the VLANIF interface to determine whether to forward Layer 2 or Layer 3 forwarding?

**Options:**

---

- A) purpose MAC
- B) source IP
- C) destination port
- D) source MAC

**Answer:**

---

A

**To Get Premium Files for H12-811\_V1.0 Visit**

**[https://www.p2pexams.com/products/h12-811\\_v1.0](https://www.p2pexams.com/products/h12-811_v1.0)**

**For More Free Questions Visit**

**<https://www.p2pexams.com/huawei/pdf/h12-811-v1.0>**

