



Free Questions for H13-621 by certsdeals

Shared by Mclaughlin on 12-12-2023

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

What the common timing index in measure a system reliability? (Select two Answers)

Options:

A- reliability

B- efficient

C- the average of failure time

D- the average of fault-free time

Answer:

C, D

Question 2

Question Type: MultipleChoice

Which of the following HostAgent components need to restart the host after the installation is complete?

Options:

- A- HyperManager server
- B- InbandAgent
- C- ConsistentAgent
- D- HyperManager client

Answer:

B

Question 3

Question Type: MultipleChoice

What is the command to check WWN number of FC-HBA card in AIX system?

Options:

A- lscfg -pvl fcs0

B- hba

C- lsdev -Cc adapter |grep fcs

D- hbainfo

Answer:

A

Question 4

Question Type: MultipleChoice

Below the write Cache strategy description about the array is not the right are:

Options:

A- write-through cache suggest mirror mode, in order to improve data reliability

- B-** Write Back cache can improve SAN performance
- C-** Write Back cache no matter whether to adopt the mirror, random write performance almost no difference
- D-** write-through cache, bottle neck area of SAN performance often on the disk

Answer:

A

Question 5

Question Type: MultipleChoice

The maximum single size of Host FC-HBA card request do not exceed 4096M

Options:

- A-** True
- B-** False

Answer:

B

Question 6

Question Type: MultipleChoice

The SAN network topology, which is the relatively high reliability?

Options:

A- directly connected network

B- double exchange network

C- single exchange network

D- multipath network

Answer:

B

Question 7

Question Type: MultipleChoice

Two criteria based on SMI: CIM (Common Information Model) and WBEM (Web Based Enterprise Management)

Options:

A- True

B- False

Answer:

A

Question 8

Question Type: MultipleChoice

Remote replication between storage array is based on the copy file level

Options:

A- True

B- False

Answer:

B

Question 9

Question Type: MultipleChoice

check host already registered iSCSI target and the command is: iscsiadm -m node on Linux platform

Options:

A- True

B- False

Answer:

A

To Get Premium Files for H13-621 Visit

<https://www.p2pexams.com/products/h13-621>

For More Free Questions Visit

<https://www.p2pexams.com/huawei/pdf/h13-621>

