



Free Questions for H13-621 by vceexamstest

Shared by Johnston on 07-06-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

S5000 configure cache strategy, if use the write back mirroring. Because the mirror operation requires the interaction between two controllers, and the transmission of the data. Therefore the overall performance is worse than write back mirroring.

Options:

- A) True
- B) False

Answer:

A

Question 2

Question Type: MultipleChoice

Which of the following don't belong to FC SAN storage network software components?

Options:

- A) storage software system
- B) switch operating system
- C) storage devices HBA Driver
- D) client application

Answer:

D

Question 3

Question Type: MultipleChoice

For storage array LUN copy function, same LUN can't do multiple incremental source of LUN copy.

Options:

- A) True
- B) False

Answer:

A

Question 4

Question Type: MultipleChoice

The following performance tuning method, which do not belong to storage side operation?

Options:

- A) choose type of RAID
- B) choose strategy of CACHE
- C) choose type of disk
- D) multipath parameters optimization

Answer:

D

Question 5

Question Type: MultipleChoice

Keep S.M.

A . R.T information in service area of hard drive system, this area is generally located in dozens of physical tracks in front of Hard disk 0 physical side, write relevant internal management procedures by the manufacturer, mainly used to check disk working status information.

Options:

A) True

B) False

Answer:

A

Question 6

Question Type: MultipleChoice

In the process of storage array implementing incremental LUN copy, the host can't read and write the target LUN.

Options:

A) True

B) False

Answer:

A

Question 7

Question Type: MultipleChoice

When AIX system connect OceanStor storage array through the multipath, which don't need not install multipath software, using own multipath function.

Options:

A) True

B) False

Answer:

B

Question 8

Question Type: MultipleChoice

In the process of SAN storage controller troubleshooting, before replacing the controller, in order to ensure that data is consistent, just make sure that LUN of belonging to controller can send IO when there is no host, don't have to do other operations.

Options:

A) True

B) False

Answer:

B

To Get Premium Files for H13-621 Visit

<https://www.p2pexams.com/products/h13-621>

For More Free Questions Visit

<https://www.p2pexams.com/huawei/pdf/h13-621>

