



Huawei H13-629 Mock Exam

Shared by Cunningham on 17-06-2026

For More Free Questions and Preparation Resources

Check the Links on Last Page



Question 1

Question Type: MultipleChoice

The MTTR indicator is used to describe the average continuous time of the failure of a product during operational use or testing.

Options:

- A- True
- B- False

Answer:

B

Question 2

Question Type: MultipleChoice

Which technology enhances the performance of the Huawei OceanStor 9000 application? (Multiple choice.)

Options:

- A- Support for SMB3 multichannel features that take full advantage of client-side multi-core CPUs and bandwidth resources to dramatically improve performance.
- B- When a hard drive has multiple objects at the same time to write requests, support merged into a large continuous IO, significantly improve system performance.
- C- Internal file system replication, without having to go through the client directly in the system to complete high-speed
- D- Supports 10GE and PCIE networking, providing high performance through high-speed inter-node interconnection and reducing system internal delay.

Answer:

A, B, C

Question 3

Question Type: MultipleChoice

The design of Oracle database system should give attention to both performance and data reliability. Which reliability designs will reduce the performance of Oracle?

(Multiple Choice)

Options:

- A- Multi mirror log group
- B- Using Oracle RAC
- C- Archive Mode
- D- Frequent CheckPoint

Answer:

A, C, D

Question 4

Question Type: MultipleChoice

Which commands are used to view SCSI controller information in RHEL5.5 (with Qlogic QLE2562-CK inside)?

Options:

- A- lspci | grep SCSI
- B- cat / proc / scsi / scsi
- C- cat / proc / scsi / qla2xxx/* | grep port
- D- lspci | grep Ethernet

Answer:

A, B, C

Question 5

Question Type: MultipleChoice

OceanStor V3 does not start up normally within 15 minutes after the system is powered on. What can you use to log in to the storage system in order to locate this fault? (Multiple choice.)

Options:

- A- Sys status view system status
- B- Through the dev status view system status
- C- Through the dev status view device management started
- D- Through dev status view device management started

Answer:

A, C

Question 6

Question Type: MultipleChoice

In VMware virtualization environment, if the user wants to migrate a VM from one ESXi host to another with no downtime, () can be used for this; if the user wants to migrate virtual machine storage disk files to another storage array with no downtime, () can be used.

Options:

- A- vMotion, Storage DRS
- B- Storage vMotion, Storage DRS
- C- vMotion, HA
- D- vMotion, Storage vMotion

Answer:

D

Question 7

Question Type: MultipleChoice

Which of the following statements are incorrect regarding the Huawei OceanStor 9000 file system?

Options:

- A- Metadata is achieved by mirroring node redundancy
- B- Oceanstor 9000 uses a dynamic subtree to organize metadata
- C- The metadata is stored object-wise in the Oceanstor 9000 system
- D- The metadata is actually stored on the SSD of the storage node

Answer:

D

P2P
exams

P2P
exams

To Get Premium Files for H13-629 Visit

<https://www.p2pexams.com/products/h13-629>

For More Free Questions Visit

<https://www.p2pexams.com/huawei/pdf/h13-629>

20%
DISCOUNT

P2P
exams