



Free Questions for H13-711_V3.0 by [braindumpscollection](#)

Shared by [Cleveland](#) on 06-06-2022

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

The HDFS data reading process includes the following steps, please choose the correct order. (Drag picture title, sort question)

Options:

- A-** After obtaining this input stream, the client calls the read method to read the data. The input stream selects the nearest DataNode to establish a connection and read data.
- B-** The client calls close. to close the input stream.
- C-** The location where the data block corresponding to this file in NameNode is obtained by calling NameNode remotely through RPC
- D-** If the end of the data block has been reached. Then close the connection with this DataNode, and then re-find E. a data block. until all data is read.
- E-** The client calls the open method of the FileSystem instance to obtain the input stream corresponding to the file.

Answer:

A, B, C, D, E

Question 2

Question Type: MultipleChoice

The following provides a variety of Redis optimization practices, which option is wrong?

Options:

- A- closecloseTransparent Huge Pages
- B- Modify the minimum number of tcp connections in 1linux
- C- Modify the linux kernel memory allocation strategy or execute sysctl
- D- Condensed key names and key values

Answer:

B

Question 3

Question Type: MultipleChoice

Which of the following parts does the structure of the unified certification management system include?

Options:

- A- Unified Authentication Server
- B- Unified authentication management module
- C- Identity information storage server
- D- Unified Session Management Module

Answer:

A, B, C

Question 4

Question Type: MultipleChoice

By configuring which of the following parameters can the logs generated in Kafkal be cleaned up?

Options:

- A- log.retention.bytes

- B- server.properties
- C- log.cleanup.policy
- D- log.retention.hours

Answer:

A, C, D

Question 5

Question Type: MultipleChoice

A Kafka cluster contains one or more service instances, which are called()

Options:

A- Broker

Answer:

A

Question 6

Question Type: MultipleChoice

Which of the following reasons may be the cause of the failure of the Loader job execution?

Options:

- A- Job execution takes too long
- B- Does not comply with data conversion rules
- C- No data compression format specified
- D- No source directory or file specified

Answer:

A, B, C, D

Question 7

Question Type: MultipleChoice

According to the way of data acquisition in Flue, Source can be divided into driven Source and () Source.

Options:

A- polling

Answer:

A

Question 8

Question Type: MultipleChoice

A telecommunications company plan to open exhibition Big data business, target business have customer grouping, calendar Historical bill analysis, real-time call charge analysis and other services. Which of the following options is the most appropriate in terms of functionality and cost to meet business needs?

Options:

- A- Deploy Soark separately
- B- Deploy Map Rabace
- C- Deploy Storm
- D- Deploy MapReduce with Stare

Answer:

A

Question 9

Question Type: MultipleChoice

Which of the following options is correct for the description of Compactiong?

Options:

- A- There are two types of Minor and Major
- B- Compation reduces the number of HFile files by merging files
- CCompation reduces the number of HFile files by eliminating expired data files

D- Minor trigger frequency is higher than Major

Answer:

A

Question 10

Question Type: MultipleChoice

DataSet from Spark2.0 Officially enabled, it has the characteristics of both DataFrame and RDD, and RDD is no longer used.

Options:

A- TRUE

B- FALSE

Answer:

B

Question 11

Question Type: MultipleChoice

The following about Hive Component capabilities in the architecture. Which is the correct description?

Options:

- A-** ThriftServer for thrift catchmouth, as JDBC services and will Hive and other applications integrated
- B-** Compiler press According to mission according to Dependent relationship is executed separately Map/Reduce task
- C-** Executor is responsible for editing Translate voQL and will which translates into a series of mutual rely of Map/Reduce Task
- D-** Optimizer is an optimizer, divided into logical Jiyou optimizer and physical optimizer. Hive QL Generated execution plan Map/Reduce Task Enterrow optimization

Answer:

A, B, C, D

To Get Premium Files for H13-711_V3.0 Visit

https://www.p2pexams.com/products/h13-711_v3.0

For More Free Questions Visit

<https://www.p2pexams.com/huawei/pdf/h13-711-v3.0>

