



**Free Questions for H31-124\_v2.0 by braindumpscollection**

**Shared by Tucker on 06-06-2022**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

# Question 1

---

**Question Type:** MultipleChoice

---

What are the main features of the SDN controller?

**Options:**

---

- A- Centralized networking
- B- Separating the Data Plane and Control Plane
- C- Upgrading Routing Protocols
- D- Open interface

**Answer:**

---

A, B

# Question 2

---

**Question Type:** MultipleChoice

---

Which of the following access modes can be used by leaf nodes in a data center?

**Options:**

---

- A- Single-node system deployment
- B- ToR Deploying an SVF System
- C- Deploying the M-Lag on the ToR
- D- ToR Stack Deployment

**Answer:**

---

C

## Question 3

---

**Question Type: MultipleChoice**

---

Which of the following are the features of Huawei IPRAN solution?

**Options:**

---

- A-** Supports Layer 3 networking and smooth evolution to LTE, protecting customers' investment.
- B-** One network, one set of O&M, full service bearing, lowest network construction cost and O&M cost; Visualized O&M, Reducing O&M Costs and Simple and Efficient.
- C-** Oriented to FMC and Adapted to Future Development Requirements.
- D-** Based on a unified router platform and a unified VRP platform, IP RAN is compatible with PTN products.

**Answer:**

---

B

## Question 4

---

**Question Type: MultipleChoice**

---

Which of the following type of MPLS L2 VPN carries only one label on an MPLS network?

**Options:**

---

**A-** Martini

- B- SVC
- C- CCC
- D- Kompella

**Answer:**

---

D

## Question 5

---

**Question Type:** MultipleChoice

---

There are two MAC address learning modes in the VPLS: unqualified and qualified. In qualified mode, all VLANs are processed by the same VSI and they share the same broadcast domain or MAC address space.

**Options:**

---

- A- True
- B- False

**Answer:**

---

A

## Question 6

---

**Question Type:** MultipleChoice

---

After the SR LSP or SR-TE tunnel is established, which of the following methods can be used to import service traffic to the SR LSP or SR-TE tunnel?

**Options:**

---

- A- Static routing
- B- Policy-based routing
- C- Automatic routing
- D- Tunnel policy

**Answer:**

---

B

**To Get Premium Files for H31-124\_v2.0 Visit**

[https://www.p2pexams.com/products/h31-124\\_v2.0](https://www.p2pexams.com/products/h31-124_v2.0)

**For More Free Questions Visit**

<https://www.p2pexams.com/huawei/pdf/h31-124-v2.0>

