



Free Questions for H31-611 by certsdeals

Shared by Rosales on 06-06-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Which of the following statements about NetStream logs are true? (Multiple Choice)

Options:

- A-** NetStream logs have V5, V8, and V9 formats. The difference between V5 and V9 is that V5 is fixed and does not support traffic aggregation, whereas V9 supports traffic aggregation and data format customization.
- B-** NetStream packets use UDP encapsulation and unlike SFlow, NetStream does not support traffic sampling.
- C-** A field within NetStream packets can distinguish whether traffic is inbound or outbound.
- D-** The start time of a NetStream flow is the time that elapses between January 1, 1970 at 00:00:00 to the moment the flow is created and is expressed in seconds.

Answer:

A, C, D

Question 2

Question Type: MultipleChoice

Which of the following statements are true about NetStream packet formats? (Multiple Choice)

Options:

- A-** The V5 format does not support traffic aggregation, putting processing pressure on the NSC and NDA.
- B-** The V8 format supports traffic aggregation, but can output only aggregated IPv4 traffic data.
- C-** The V8 format is based on templates and can output both IPv4 and IPv6 traffic data.
- D-** The V9 format can output IPv4, IPv6 and MPLS traffic data.

Answer:

B

Question 3

Question Type: MultipleChoice

Which of the following statements about NetStream data are true? (Multiple Choice)

Options:

- A- When using the V5 format, NetStream can export data packets before traffic aggregation.
- B- When using the V5 format, NetStream can export data packets after traffic aggregation.
- C- When using the V8 format, NetStream can export data packets before traffic aggregation.
- D- When using the V8 format, NetStream can export data packets after traffic aggregation.

Answer:

D

Question 4

Question Type: MultipleChoice

NetStream is implemented by NE software. When the traffic is heavy, device performance may be affected.

Options:

- A- TRUE

B- FALSE

Answer:

A

Question 5

Question Type: MultipleChoice

Which of the following are parts of the SNMP network management model? (Multiple Choice)

Options:

A- NMS

B- Agent

C- SOA

D- MIB

Answer:

C

Question 6

Question Type: MultipleChoice

Which of the following statements about SNMP are not true? (Multiple Choice)

Options:

- A-** SNMP is an application layer protocol that requires reliable TCP at the transport layer to provide services.
- B-** SNMP is used to manage information transmitted between the two points, making it easy for administrators to perform operations.
- C-** SNMP uses the client/server model.
- D-** There are three SNMP protocol versions. Currently, only SNMPv3 supports community name-based security mechanisms.

Answer:

B

Question 7

Question Type: MultipleChoice

Which of the following network entities can send SNMP GetRequest packets?

Options:

A- Agent

B- Client

C- NMS

Answer:

A

Question 8

Question Type: MultipleChoice

In SNMP, managed devices use which of the following messages to actively send alarms to the NMS?

Options:

A- Trap

B- Inform

C- Get

D- Set

Answer:

D

Question 9

Question Type: MultipleChoice

On an SDN network, OpenFlow connection backup data mainly includes which of the following? (Multiple Choice)

Options:

A- Collected forwarder interface information

- B-** Binding relationship between the logical interface of the controller and the forwarder's physical interface
- C-** Connection management information of the forwarder
- D-** Collected forwarder VLAN information

Answer:

C, D

Question 10

Question Type: MultipleChoice

OpenFlow channel establishment and maintenance involves which of the following messages? (Multiple Choice)

Options:

- A-** Collected forwarder interface information
- B-** Features Request message
- C-** Echo Request message
- D-** PortStatus message

Answer:

A, B

Question 11

Question Type: MultipleChoice

In the SDN VXLAN solution, when an OpenFlow connection between the controller and a forwarder is torn down, the forwarder retains the static MAC address and ARP entries so that traffic can be normally forwarded.

Options:

A- TRUE

B- FALSE

Answer:

B

To Get Premium Files for H31-611 Visit

<https://www.p2pexams.com/products/h31-611>

For More Free Questions Visit

<https://www.p2pexams.com/huawei/pdf/h31-611>

