Question 1

(multiple) What are the fax modes supported in the UA5000?

Options:

A- Interactive fax mode

B- Transparent transmission method

C- T.38 fax method

D- Instantaneous one-way mode

Answer:

B, C

Question 2

(single) Which of the following is the correct configuration process for EPON ONT to go online automatically?

Options:

A- Configure ONT---> Configure EPON UNI Port---> Configure Optical Port of EPON UNI Port---> Confirm EPON ONT Automatically Discovered

B- Configure the EPON UNI port--->Configure the ONT--->Configure the optical port of the EPON UNI port---> Confirm the EPON ONT that is automatically discovered.

C- Configure the EPON UNI port--->Configure the optical port of the EPON UNI port--->Configure the ONT---> Confirm the EPON ONT that is automatically discovered.

D- Configure ONT--->Configure the optical port of the EPON UNI port--->Configure the EPON UNI port---> Confirm the EPON ONT automatically discovered

Answer:

A

Question 3

Question Type: **MultipleChoice**

(multiple) In the EPON PPPoE service configuration process, what are the templates that need to be configured to increase the MDU?

Options:

A- System parameter template

B- Traffic template

C- Line template

**D-** DBA template

Answer:

C, D

Question 4

Question Type: **MultipleChoice**

(multiple) Data configuration on the OLT. When adding a Gemport, you usually choose the type of service carried by Gemport. Which of the following business types does gemport support?

A- ETH

B- POTs

C- TDM

D- E1

Answer:

A, C

Question 5

Question Type: MultipleChoice

(single) If there is multiple set-top boxes under one ONT (for example, HG850) while watching a multicast program, which of the following functions is enabled for the ONT multicast user on the OLT can ensure that one set-top box switches channels while other set-top boxes are watching. The program is not affected?

Options:

A- prejoin

B- preview

C- MAC-based fast leave

D- immediate's quick departure

Answer:

C

Question 6

(multiple) When configuring the multicast service on the MA5600T, which of the following options must be configured, otherwise the multicast program may not be viewable?

Options:

A- igmp user

B- igmp program

C- igmp profile

D- Multicast VLAN

Answer:

A, D

Question 7

Question Type: MultipleChoice

(single) Which of the following commands is used to check whether the running status of all boards in the MA5600T/MA5680T 0 is normal?

Options:

A- display board 0

B- display frame info 0

C- display board info 0

D- display frame info 0/0

Answer:

A

Question 8

Question Type: MultipleChoice

(single) MA5600T/MA5680T What is the command to query the GPON working mode?

Options:

A- #display xpon mode

B- (diagnose)%%display xpon mode

C- #(config)display xpon mode

D- All of the above

Answer:

B

Question 9

(single) In the GPON network, which of the following options must be bound to the MA5680T DBA template to take effect?

Options:

A- Tcont

B- Gemport

C- PON port

D- service-port

Answer:

A