



**Free Questions for HC-611 by actualtestdumps**

**Shared by Cantrell on 12-12-2023**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

## Question 1

---

**Question Type:** MultipleChoice

---

S5000T storage array in the configuration export function to export the system's operational status file format ()

**Options:**

---

A- . DAT

B- . EXE

C- . TXT

D- . DOC

**Answer:**

---

C

## Question 2

---

**Question Type:** MultipleChoice

---

Ext3 file system is not backwards compatible with ext2 file system

**Options:**

---

**A-** True

**B-** False

**Answer:**

---

B

## Question 3

---

**Question Type: MultipleChoice**

---

S2600 storage control boxes and boxes of Cascade Cascade method, about two links, while cascading from the order 0-1-2, 0-2-1 in the order in accordance with the other side of the connection. Simply summarized as "side forward (order) connection, while the reverse (reverse order) connection."

**Options:**

---

A- True

B- False

**Answer:**

---

A

## Question 4

---

**Question Type: MultipleChoice**

---

S5500T control box comes standard with four 8Gb FC interface also expandable to eight 8Gb FC interface.

**Options:**

---

A- True

B- False

**Answer:**

---

A

## Question 5

---

**Question Type:** MultipleChoice

---

For S5000T, the following statement is correct: (Choose three)

### Options:

---

- A- After the LUN must be formatted before use mapping to the host
- B- Both can be mapped to a host LUN group also mapped to the host
- C- iSCSI host port settings supported by the default route
- D- S5000T product 8Gb FC host port rate currently supports 4G, 8G and adaptive

### Answer:

---

A, B, D

## Question 6

---

**Question Type:** MultipleChoice

---

In all other parameters are equal, the greater the buffer capacity hard disk, hard disk performance, the better.

**Options:**

---

**A-** True

**B-** False

**Answer:**

---

A

## Question 7

---

**Question Type: MultipleChoice**

---

Before creating a RAID operation needs to be done to prepare? (Choose three)

**Options:**

---

- A- Login ISM inspection equipment hardware and software status
- B- View system alarms, alarms need to be addressed if there is a fault and resume
- C- Planning RAID configuration parameters, such as the number, grade, type of hard disk space, etc.
- D- Create a LUN

**Answer:**

---

A, B, C

## Question 8

---

**Question Type:** MultipleChoice

---

Can be seen as a special NAS file server, mainly for storing, sharing, and data transmission block:

**Options:**

---

- A- True
- B- False

**Answer:**

---

B

## Question 9

---

**Question Type:** MultipleChoice

---

Maintenance Assistant tool on the terminal installation and maintenance, operating system requirements must be installed JRE version 2.6.18 or later

**Options:**

---

A- True

B- False

**Answer:**

---

A

## Question 10

---



**Question Type: MultipleChoice**

---

S5600T/S5800T/S6800T 4U independent control box controller using Active-Active redundancy.

**Options:**

---

**A-** True

**B-** False

**Answer:**

---

A

**To Get Premium Files for HC-611 Visit**

**<https://www.p2pexams.com/products/hc-611>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/huawei/pdf/hc-611>**

