



## **Free Questions for HC-621 by dumpssheet**

**Shared by Ewing on 15-04-2024**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

## Question 1

---

**Question Type:** MultipleChoice

---

Multipath installation fails in most cases is caused due to compatibility, multiple paths need to be considered compatible with the installation of the main components of what? (Choose three)

### Options:

---

- A- And OS specific version
- B- And HBA cards
- C- Server system hard drive
- D- And iSCSI initiator software

### Answer:

---

A, B, D

## Question 2

---

**Question Type:** MultipleChoice

---

Add under Solaris system target IP address of the command iscsiadm add discovery-address

**Options:**

---

**A-** True

**B-** False

**Answer:**

---

A

## Question 3

---

**Question Type:** MultipleChoice

---

The following information about HP-UX's statement is correct. (Choose three)

**Options:**

---

- A- iscsiutil-l can be used to view the initiator node name
- B- iscsiutil-i-N can be used to modify the initiator node name
- C- iscsiutil-m-t-p can be used to add the IP address of the target
- D- iscsiutil-pD used to verify iscsi configuration

**Answer:**

---

A, B, D

## Question 4

---

**Question Type:** MultipleChoice

---

If planning banking SAN storage systems, storage used to store customer orders and account information and select the most appropriate RAID level.

**Options:**

---

- A- RAID 0
- B- RAID 1

**C-** RAID 10

**D-** RAID 5

**Answer:**

---

C

## Question 5

---

**Question Type:** MultipleChoice

---

MSCS clustering software which can be attributed to the level of reliability guarantee?

**Options:**

---

**A-** Network layer

**B-** Operating system layer

**C-** Hardware driver layer

**D-** File system layer

**Answer:**

---

B

## Question 6

---

**Question Type:** MultipleChoice

---

ISM technology uses JWS, JWS is mainly used to deploy applications across the network, it has a safe, stable, easy to maintain, easy to use features.

**Options:**

---

A- True

B- False

**Answer:**

---

A

## Question 7

---

**Question Type: MultipleChoice**

---

When S5000 configuration cache policy, if adopted mirrored write-back mode, due to the need to interact and mirror operation to transfer data between two controllers, so the overall performance than write-back does not mirror the way hearing.

**Options:**

---

**A-** True

**B-** False

**Answer:**

---

A

**To Get Premium Files for HC-621 Visit**

**<https://www.p2pexams.com/products/hc-621>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/huawei/pdf/hc-621>**

