Free Questions for C1000-123 by certscare

Shared by Aguirre on 15-04-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

In IBM RPA, what are exceptions best defined as?

Options:

A- Unexpected errors that occur during the execution of a script

B- Stop in processing because the vault is not open

C- Commands that are not properly completed in the IBM RPA Studio

D- IBM RPA scripts that stop because the servers runs out of memory

Answer:

D

Question 2

What is a Group in an IBM RPA web client setting?

Options:

A- Group refers to user role which is defined as super-administrator, administrator or normal user.

B- Group refers to a set of users or computers utilizing the same attended bot launcher.

C- Group refers to a set users, or computers, or both that can be set up in web client.

D- Group refers to job title of users which is set up during creation of each new user.

Answer:

D

Question 3

Question Type: MultipleChoice

What is the purpose of a subroutine?

Options:

A- To perform a task using a sequence of commands only once

B- To run a sequence of commands that can be reused at any time

C- To keep similar scripts together

D- To process any errors that might arise

Answer:

A

Question 4

Question Type: **MultipleChoice**

Which statement is true for IBM RPA Dashboards?

Options:

A- To create dashboards, custom data sources must be defined.

B- Filtering is not available for counters.

C- A dashboard can just use one of the available data sources.

D- Dashboards can have several tabs to display various types of charts.

Answer:

D

Question 5

Question Type: **MultipleChoice**

When registering a client computer manually to IBM RPA tenant, which two information fields are mandatory to set?

Options:

A- Name

B- VNC address

C- Computer credential

D- Computer type

E- Physical address

Answer:

C

Question 6

Which command combination is best used to ensure that a Robot cannot interact with an application (blocks hardware) until the application is fully loaded?

Options:

A- Attach Window

B- Type Text

C- Block Input

D- Mouse Command

E- Unblock Entry

Answer:

A

Question 7

Question Type: MultipleChoice

In order to use the available parameter commands, where must the parameter first be created?

Options:

A- Defined as a variable in a subroutine so that it can be referenced

B- In the same script so that it can be referenced

C- In the Web Portal

D- Another script so that it can be referenced

Answer:

A

Question 8

Which menu allows the addition of measures and dimensions and configure settings related to the selected data item in a dashboard?

Options:

A- Pie Chart Config Menu

B- Data item menu

C- Legend menu

D- Datasource menu

Answer:

B

Question 9

How can script variables be seen in designer mode?

A- Switch to the Call Graph.

B- Press the F5 key in Designer mode.

C- They cannot be seen in designer mode.

D- Click on the Variables Visible button on the Home Ribbon.

Answer:

B

Question 10

Question Type: **MultipleChoice**

When does the Handle Error command start capturing all errors?

Options:

A- In the subroutine being called

B- Before the command is executed

C- The Handle Error only sets up the Stop Execution command

D- As soon as it is executed

Answer:

C