



Free Questions for C1000-140 by dumpssheet

Shared by Cantu on 13-09-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

A QRadar deployment professional was asked to plan a system migration from an on-premises, appliance-based environment to an AWS environment. As part of this transition, the Ariel data must be moved to the new logical appliances and must be searchable by using the existing mechanisms (for example, to filter by log source).

Which approach can the deployment professional use to migrate the configuration after the VM is built (and before the Ariel data is restored)?

Options:

- A- Use the Content Management Tool (CMT) to transfer the security configuration
- B- Use the QRadar configuration backup and restore process to transfer all configurations
- C- Export the security content with CMT and import using the REST-API
- D- Use rsync to transfer the contents of the /store partition to the new system

Answer:

C

Question 2

Question Type: MultipleChoice

Which log source should be used to filter QRadar audit events?

Options:

A- Health Metrics-2

B- SIM Audit-2

C- Audit-log

D- SIM-Audit-log

Answer:

D

Question 3

Question Type: MultipleChoice

On an App Host, to reload an SSL certificate, which service needs to be restarted?

Options:

- A- tomcat
- B- docker
- C- httpd
- D- ecs-ec-ingress

Answer:

C

Question 4

Question Type: MultipleChoice

What must be created before the Use Case Manager app can be used?

Options:

- A- Authorized Service Token
- B- Security Profile
- C- Custom DSM
- D- User roles

Answer:

C

Question 5

Question Type: MultipleChoice

Which two of these authentication types are valid for RADIUS authentication? (Choose two.)

Options:

- A- MSCHAP

B- ASCII

C- TCP

D- PAP

E- XML

Answer:

A, D

Question 6

Question Type: MultipleChoice

What must be created before the Use Case Manager app can be used?

Options:

A- Authorized Service Token

B- Security Profile

C- Custom DSM

D- User roles

Answer:

C

Question 7

Question Type: MultipleChoice

Which two of these authentication types are valid for RADIUS authentication? (Choose two.)

Options:

A- MSCHAP

B- ASCII

C- TCP

D- PAP

E- XML

Answer:

A, D

Question 8

Question Type: MultipleChoice

On an App Host, to reload an SSL certificate, which service needs to be restarted?

Options:

A- tomcat

B- docker

C- httpd

D- ecs-ec-ingress

Answer:

C

Question 9

Question Type: MultipleChoice

A QRadar deployment professional was asked to plan a system migration from an on-premises, appliance-based environment to an AWS environment. As part of this transition, the Ariel data must be moved to the new logical appliances and must be searchable by using the existing mechanisms (for example, to filter by log source).

Which approach can the deployment professional use to migrate the configuration after the VM is built (and before the Ariel data is restored)?

Options:

- A- Use the Content Management Tool (CMT) to transfer the security configuration
- B- Use the QRadar configuration backup and restore process to transfer all configurations
- C- Export the security content with CMT and import using the REST-API
- D- Use rsync to transfer the contents of the /store partition to the new system

Answer:

C

Question 10

Question Type: MultipleChoice

Which log source should be used to filter QRadar audit events?

Options:

- A- Health Metrics-2
- B- SIM Audit-2
- C- Audit-log
- D- SIM-Audit-log

Answer:

D

To Get Premium Files for C1000-140 Visit

<https://www.p2pexams.com/products/c1000-140>

For More Free Questions Visit

<https://www.p2pexams.com/ibm/pdf/c1000-140>

