



Free Questions for C2090-011 by dumpssheet

Shared by Padilla on 15-04-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Which transformation feature would you use to convert a string variable with values such as Female and Male to a numeric variable with values 1 and 2?

Options:

- A- Define Variable Properties
- B- Automatic Recode
- C- Visual Binning
- D- Shift Values

Answer:

B

Question 2

Question Type: MultipleChoice

As of PASW Statistics 17, options for exporting tables to Excel files include which of the following? (Choose all that apply.)

Options:

- A- Create a new worksheet in an existing Microsoft Excel file
- B- Add to an existing worksheet
- C- Create a new Microsoft Excel file
- D- Export all layers of a pivot table

Answer:

A, B, C, D

Question 3

Question Type: MultipleChoice

Which variable name is correctly formed for use in an IBM SPSS Statistics data file?

Options:

- A- 3job_categories
- B- job_3_categories
- C- Respondents' age
- D- Employee safety

Answer:

B

Question 4

Question Type: MultipleChoice

A paired samples t4est is different from an independent t-test because it:

Options:

- A- Assesses each person twice.

- B-** Compares groups on correlations.
- C-** Compares groups on means.
- D-** Compares groups on variances.

Answer:

A

Question 5

Question Type: MultipleChoice

Which operations are available from the File menu? (Choose three.)

Options:

- A-** Open and Save data files
- B-** Print the contents of the active IBM SPSS Statistics window
- C-** Exit IBM SPSS Statistics
- D-** Run the FREQUENCIES procedure

Answer:

A, B, C

Question 6

Question Type: MultipleChoice

In order to access the New Custom Attribute feature in the Data Editor, the Data Editor must be viewed from the:

Options:

A- Value Labels button.

B- Dialog Recall button.

C- Data View tab.

D- Variable View tab.

Answer:

D

Question 7

Question Type: MultipleChoice

Which interpretation is correct for this Regression Coefficients table?

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-624.687	1186.460		-.527	.599
	Employee Gender	-1629.252	264.350	-.249	-6.163	.000
	Minority Classification	-992.918	284.710	-.124	-3.487	.001
	Educational Level (years)	642.284	43.296	.589	14.835	.000
	Employee Age	35.871	17.265	.131	2.078	.038
	Work Experience (years)	22.695	23.602	.062	.962	.337
	Months on Job	-21.770	11.126	-.068	-1.957	.051

a. Dependent Variable: Beginning Salary

Options:

- A-** For every additional year that you get older, your beginning salary decreases on average by \$13.
- B-** For every additional year that you get older, your beginning salary decreases on average by \$35.9.
- C-** For every additional year that you get older, your beginning salary increases on average by \$13.

D- For every additional year that you get older, your beginning salary increases on average by \$35.9.

Answer:

D

Question 8

Question Type: MultipleChoice

If you use the IBM SPSS Statistics Select Cases dialog to conduct analysis on a subset of cases and you want to keep all cases in the same dataset, which option is appropriate?

Options:

- A-** Copy unselected cases to a new dataset
- B-** Copy selected cases to a new dataset
- C-** Delete unselected cases
- D-** Filter out unselected cases


Answer:

D

Question 9

Question Type: MultipleChoice

What does the Paste button in this dialog box do?



Options:

- A- Runs a MEANS table.
- B- Pastes the MEANS command into a Syntax Editor window.
- C- Pastes the MEANS command into the Viewer window.
- D- Runs a MEANS table, opens a new Syntax Editor window, and pastes the MEANS command

Answer:

B

Question 10

Question Type: MultipleChoice

If you request an aggregated dataset or data file in the Aggregate procedure, the number of cases in the new aggregated file is equal to what?

Options:

- A- Number of cases in the original data file

- B- Number of aggregated summary variables
- C- Number of categories of the variables specified in the Break Variables list
- D- Number of cases that you specified in the Aggregate Data dialog box

Answer:

C

Question 11

Question Type: MultipleChoice

Consider the data file below and answer the following: The calculation of the mean of the variables X, Y, Z is contained in the variable Av_XYZ. What method was used to calculate the mean?

1 : Z 4.00 Visible: 4 of 4 Variables

	X	Y	Z	Av_XYZ
1	4.00	1.00	4.00	3.00
2	.	1.00	.	.
3	4.00	2.00	3.00	3.00
4	5.00	.	6.00	5.50
5	6.00	12.00	7.00	8.33

Data View Variable View

PASW Statistics Processor is ready

Options:

-
- A- The Compute Variable dialog and the expression $(X+Y+Z) / 3$
 - B- The Compute Variable dialog and the expression $X+Y+Z/3$
 - C- The Compute Variable dialog and the expression $MEAN(X, Y, Z)$
 - D- The Compute Variable dialog and the expression $MEAN.2(X, Y, Z)$

Answer:

D

Question 12

Question Type: MultipleChoice

Which statement is the correct interpretation of this crosstab table?

BELIEF IN LIFE AFTER DEATH * GENDER OF RESPONDENT Crosstabulation

			GENDER OF RESPONDENT		Total
			Female	Male	
BELIEF IN LIFE AFTER DEATH	YES	Count	541	417	958
		% within BELIEF IN LIFE AFTER DEATH	56.5%	43.5%	100.0%
		% within GENDER OF RESPONDENT	86.0%	76.9%	81.8%
	NO	Count	88	125	213
		% within BELIEF IN LIFE AFTER DEATH	41.3%	58.7%	100.0%
		% within GENDER OF RESPONDENT	14.0%	23.1%	18.2%
Total	Count	629	542	1171	
	% within BELIEF IN LIFE AFTER DEATH	53.7%	46.3%	100.0%	
	% within GENDER OF RESPONDENT	100.0%	100.0%	100.0%	

Options:

A- 56.5% of females believe in life after death.

B- 86.0% of females believe in life after death.

C- 27.5% of females believe in life after death.

D- 53.7% of females believe in life after death.

Answer:

B

To Get Premium Files for C2090-011 Visit

<https://www.p2pexams.com/products/c2090-011>

For More Free Questions Visit

<https://www.p2pexams.com/ibm/pdf/c2090-011>

