

Free Questions for S1000-007 by certscare

Shared by Morin on 01-09-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

When attempting to recover a corrupted file system an administrator runs the command fsck against the unmounted file system and receives the following error:

After confirming that the file system is not mounted, what should the administrator do next?

Options:

A- Run logrcvr /dev/ulv14.

- B- Run fsck: with the -F (force) flag.
- **C-** Convert the log to INLINE.
- D- Run logform /dev/u1v11.

D

Question 2

Question Type: MultipleChoice

A customer calls to complain about slow workload performance but offers no additional details. What should the administrator do next?

Options:

- A- Ask the caller for additional details.
- **B-** Add two more virtual CPUs by DLPAR operation.
- C- Increase CPU entitlement by 10%
- D- Add 10% more memory by DLPAR operation

Answer:
D
Question 3
Question Type: MultipleChoice
Which AIX command displays the types, counts, and percentages of LPAR memory?
Options:
A- Ivmo -a -v rootvg
B- iostat
C- vmstat -v
D- mpstat -w 1

Α

Question 4

Question Type: MultipleChoice

When a user logs in. the processing of their .profile is very slow. Which issue could contribute to the problem?

Options:

- A- The PATH variable contains non-existent directories.
- B- Network issues between the user location and the system.
- **C-** The user's home file system is full.
- D- A slow NFS mount for their home directory.

Answer:

С

Question 5

Question Type: MultipleChoice

An AIX administrator is struggling with installing RPM packages. When they try to install a package, errors appear that there are prerequisite RPMs that also need to be installed. Which tool can be used to simplify resolving these dependencies?

Options:			
A- dpkg			_
B- installp			
C- rpm			
D- yum			
Answer:			
С			

Question 6

Question Type: MultipleChoice

When attempting to recover a corrupted file system an administrator runs the command fsck against the unmounted file system and receives the following error:

After confirming that the file system is not mounted, what should the administrator do next?

Options:

- A- Run logrcvr /dev/ulv14.
- B- Run fsck: with the -F (force) flag.
- **C-** Convert the log to INLINE.
- D- Run logform /dev/u1v11.

Answer:

D

Question 7

Question Type: MultipleChoice

When a user logs in. the processing of their .profile is very slow. Which issue could contribute to the problem?

Options:

- A- The PATH variable contains non-existent directories.
- B- Network issues between the user location and the system.
- **C-** The user's home file system is full.
- D- A slow NFS mount for their home directory.

Answer:

С

Question 8

Question Type: MultipleChoice

An AIX administrator is struggling with installing RPM packages. When they try to install a package, errors appear that there are prerequisite RPMs that also need to be installed. Which tool can be used to simplify resolving these dependencies?

Options:			
A- dpkg			
B- installp			
C- rpm			
D- yum			
Answer:			
С			

Question 9

Question Type: MultipleChoice

A customer calls to complain about slow workload performance but offers no additional details. What should the administrator do next?

			_		_	
()	n	tl	\mathbf{a}	n	c	
0	μ	LI	U	ш	J	

- A- Ask the caller for additional details.
- B- Add two more virtual CPUs by DLPAR operation.
- C- Increase CPU entitlement by 10%
- D- Add 10% more memory by DLPAR operation

D

Question 10

Question Type: MultipleChoice

Which AIX command displays the types, counts, and percentages of LPAR memory?

Options:

A- Ivmo -a -v rootvg

- B- iostat
- C- vmstat -v
- D- mpstat -w 1

Α

To Get Premium Files for S1000-007 Visit

https://www.p2pexams.com/products/s1000-007

For More Free Questions Visit

https://www.p2pexams.com/ibm/pdf/s1000-007

