



Free Questions for **CCSP by **dumpssheet****

Shared by **Quinn on **07-06-2022****

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

The physical layout of a cloud data center campus should include redundancies of all the following except _____.

Response:

Options:

- A) Generators
- B) HVAC units
- C) Generator fuel storage
- D) Points of personnel ingress

Answer:

D

Question 2

Question Type: MultipleChoice

What is the term that describes the situation when a malicious user/attacker can exit the restrictions of a single host and access other nodes on the network?

Response:

Options:

- A) Host escape
- B) Guest escape
- C) Provider exit
- D) Escalation of privileges

Answer:

A

Question 3

Question Type: MultipleChoice

From a security perspective, automation of configuration aids in _____.

Response:

Options:

- A) Enhancing performance
- B) Reducing potential attack vectors
- C) Increasing ease of use of the systems
- D) Reducing need for administrative personnel

Answer:

B

Question 4

Question Type: MultipleChoice

SOC 2 reports were intended to be _____.

Response:

Options:

- A) Released to the public
- B) Only technical assessments
- C) Retained for internal use
- D) Nonbinding

Answer:

C

Question 5

Question Type: MultipleChoice

Which SSAE 16 audit report is simply an attestation of audit results?

Response:

Options:

- A) SOC 1
- B) SOC 2, Type 1
- C) SOC 2, Type 2
- D) SOC 3

Answer:

D

Question 6

Question Type: MultipleChoice

Which of the following is NOT a common component of a DLP implementation process?

Response:

Options:

- A) Discovery

- B) Monitoring
- C) Revision
- D) Enforcement

Answer:

C

Question 7

Question Type: MultipleChoice

You are a consultant performing an external security review on a large manufacturing firm. You determine that its newest assembly plant, which cost \$24 million, could be completely destroyed by a fire but that a fire suppression system could effectively protect the plant.

The fire suppression system costs \$15 million. An insurance policy that would cover the full replacement cost of the plant costs \$1 million per month.

In order to establish the true annualized loss expectancy (ALE), you would need all of the following information except _____.

Response:

Options:

- A) The amount of revenue generated by the plant
- B) The rate at which the plant generates revenue
- C) The length of time it would take to rebuild the plant
- D) The amount of product the plant creates

Answer:

D

Question 8

Question Type: MultipleChoice

Halon is now illegal to use for data center fire suppression. What is the reason it was outlawed?

Response:

Options:

- A) It poses a threat to health and human safety when deployed.
- B) It can harm the environment.
- C) It does not adequately suppress fires.
- D) It causes undue damage to electronic systems.

Answer:

B

Question 9

Question Type: MultipleChoice

What are the four cloud deployment models?

Response:

Options:

A) Public, Internal, Hybrid, and Community

- B) External, Private, Hybrid, and Community
- C) Public, Private, Joint, and Community
- D) Public, Private, Hybrid, and Community

Answer:

D

Question 10

Question Type: MultipleChoice

What type of software is often considered secured and validated via community knowledge?

Response:

Options:

- A) Proprietary
- B) Object-oriented

C) Open source

D) Scripting

Answer:

C

Question 11

Question Type: MultipleChoice

Although performing BCDR tests at regular intervals is a best practice to ensure processes and documentation are still relevant and efficient, which of the following represents a reason to conduct a BCDR review outside of the regular interval?

Response:

Options:

A) Staff changes

B) Application changes

C) Regulatory changes

D) Management changes

Answer:

B

To Get Premium Files for CCSP Visit

<https://www.p2pexams.com/products/ccsp>

For More Free Questions Visit

<https://www.p2pexams.com/isc2/pdf/ccsp>

