# Question 1

What are two supported methods to add a new Contrail compute node using Contrail Command? (Choose two.)

## Options:

**A-** From the Web UI, add a new server and assign it as a compute node to the existing cluster.

**B-** From the CLI on the Contrail Command server, edit the instances.yml file and add the new node information.

**C-** From the CLI on the Contrail Command server, edit the command_servers.yml file and add the new node information.

**D-** From the CLI on the Contrail Command server, edit the testbed.py file and add the new node information.

## Answer:

A, B

# Question 2

Your development team asks you to provision twenty exact copies of a three-tier application containing three VMs. Each copy of the application must be on their own isolated network. The development team also wants to deploy more copies in the future from a self-service portal.

What will accomplish this task?

## Options:

**A-** Create a Heat orchestration template for the application and then launch twenty stacks using the Horizon dashboard or OpenStack CLI.

**B-** Use the Contrail fabric manager to define and launch all twenty stacks using an intent-driven automation feature.

**C-** Create all twenty networks and launch each instance using the Horizon instance creation wizard.

**D-** Create a Heat orchestration template for the application and then launch twenty stacks using the AppFormix user interface.

## Answer:

A

# Question 3

**Question Type:** **MultipleChoice**

Which ETSI NFV function is responsible for the management of virtual network functions (VNF) and element management systems (EMS)?

## Options:

**A-** Virtual Network Function Manager (VNFM)

**B-** OpenStack

**C-** Contrail Command

**D-** Analytics Database

## Answer:

A

# Question 4

**Question Type: MultipleChoice**

Which Kubernetes resource defines the traffic allowed to reach the pod?

## Options:

**A-** SecurityGroup

**B-** NetworkPolicy

**C-** Ingress

**D-** IPAM

## Answer:

B

# Question 5

**Question Type:** **MultipleChoice**

Click the Exhibit button.

Referring to the exhibit, what must have occurred prior to JohnDoe sending the request?

## Options:

**A-** JohnDoe must have obtained a valid token from Horizon.

**B-** JohnDoe must have successfully authenticated using OpenStack's Web user interface.

**C-** JohnDoe must have obtained a valid token from Keystone.

**D-** JonnDoe must have obtained a valid token from the Contrail control node.

**Answer:**

A

# Question 6

**Question Type: MultipleChoice**

You are configuring a Contrail Security firewall policy rule and need to specify an exact port.

Which two statements describe how to accomplish this task? (Choose two.)

**Options:**

**A-** You should create a tag and specify it in the firewall policy rule.

**B-** You should create an address group and specify it in the firewall policy rule.

**C-** You should create a service group and specify it in the firewall policy rule.

**D-** You should specify the service in the firewall policy rule.

**Answer:**

A, B