



Free Questions for 201-450 by vceexamstest

Shared by Carroll on 15-04-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Under which of the following circumstances would the command ping output the string (DUP!)?

Options:

- A- When the ICMP packets are send to a broadcast address and multiple hosts respond.
- B- When the host being sent ICMP packets is on a different network.
- C- When the router responds to the ICMP packet in addition to the host receiving the ICMP packets.
- D- When the host sending the ICMP packet is the same host as the one receiving the ICMP packets.

Answer:

A

Question 2

Question Type: MultipleChoice

Which of the following filter keywords for tcpdump specify the transfer direction for network packets? (Choose TWO correct answers.)

Options:

A- source

B- src

C- dest

D- src or dst

E- both

Answer:

B, D

Question 3

Question Type: MultipleChoice

What should be done after updating the configuration file for syslogd in order to make the changes become effective? (Choose TWO correct answers.)

Options:

- A- No action is required, syslogd will notice the updated configuration file after a few minutes.
- B- Send the HUP signal to the syslogd process.
- C- Restart the syslogd service.
- D- Run the command syslogd -u.

Answer:

B, C

Question 4

Question Type: MultipleChoice

What should be done to ensure a client machine uses the recursive nameserver running on the IP address 192.168.0.1? (Choose TWO correct answers.)

Options:

- A- Add nameserver 192.168.0.1 to /etc/resolv.conf.
- B- Run route add nameserver 192.168.0.1.
- C- Run ifconfig eth0 nameserver 192.168.0.1.
- D- Ensure that the dns service is listed in the hosts entry in the /etc/nsswitch.conf file.
- E- Run bind add nameserver 192.168.0.1.

Answer:

A, D

Question 5

Question Type: MultipleChoice

Which /etc/hosts.allow entries will permit access to sshd for users from the 192.168.1.0/24 subnet? (Choose TWO correct answers.)

Options:

- A- sshd : 192.168.1.
- B- sshd : 192.168.1

C- sshd : 192.168.1.0 netmask 255.255.255.0

D- sshd : 192.168.1.0/255.255.255.0

E- sshd : 192.168.1.0

Answer:

A, D

Question 6

Question Type: MultipleChoice

Which of the following commands can be used to script interactions with various TCP or UDP services?

Options:

A- ftp

B- nc

C- tcpdump

D- strings

E- wget

Answer:

B

Question 7

Question Type: MultipleChoice

The following is an excerpt from the output of tcpdump -nli eth1:

13:03:17.277327 IP 192.168.123.5.1065 > 192.168.5.112.21: Flags [.] , ack 1 (truncated)

13:03:17.598624 IP 192.168.5.112.21 > 192.168.123.5.1065: Flags [P.] , seq (truncated)

Which network service or protocol was used?

Options:

A- FTP

B- HTTP

C- SSH

D- DNS

E- DHCP

Answer:

A

To Get Premium Files for 201-450 Visit

<https://www.p2pexams.com/products/201-450>

For More Free Questions Visit

<https://www.p2pexams.com/lpi/pdf/201-450>

