

Free Questions for 201-450 by certsinside

Shared by Moreno on 06-06-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Which of the following commands lists IPv4 addresses and MAC addresses of network nodes that the local system has seen on its directly connected IP networks?

Options:


- A- arp
- **B-** ifconfig
- C- ipadm
- D- iwlist

Answer:

Α

Question 2

Question Type: MultipleChoice



Answer:

Α

Question 3

Question Type: MultipleChoice

On a Linux node with multiple active networks interfaces, each having a default route to the Internet, which default route is preferred?

Options:								
A- The default route with the highest metric value								
B- The default route with the highest MTU value								
C- The default route with the lowest TTL value								
D- The default route with the highest TTL value								
E- The default route with the lowest metric value								
Answer:								
E								
Question 4								
Question Type: MultipleChoice								
In order to gather performance data with sar over a longer period of time, which command should be run periodically from cron?								

A- sa1	
B- sarmon	
C- sarec	
D- sadf	
E- sarcron	
Answer:	
A	
Question 5	
Question 5 Question Type: MultipleChoice	
Question Type: MultipleChoice	<u> </u>
Question Type: MultipleChoice	
Question Type: MultipleChoice Which of the following properties should be recorded in order to monitor the quality of a network link? (Choose two.)	
Question Type: MultipleChoice	
Question Type: MultipleChoice Which of the following properties should be recorded in order to monitor the quality of a network link? (Choose two.) Options:	

- **C-** Effective Latency
- D- Number of IPv4 and IPv6 packets
- E- Number of used TCP ports

Answer:

A, C


Question 6

Question Type: MultipleChoice

In the output of sar --b, what does tps stand for?

Options:

- A- Terrabyte per second
- B- Traffic per second
- C- Transfers per second
- D- Total data per second



Answer:

С

Question 7

Question Type: MultipleChoice

Which of the following commands displays the physical path of the kernel module named dummy?

Options:

- A- modprobe --i dummy
- B- modinfo --n dummy
- C- modpath --v dummy
- D- depmod --n dummy
- E- modshow --p dummy

-					
Л	10	S		_	10.0
_		-	w	_	_
$\overline{}$		-	ww.	•	

Α

Question 8

Question Type: MultipleChoice

After manually compiling and installing a new kernel, what has to be done regarding the initramfs?

Options:

- A- To initramfs is independent of the kernel and should not be modified unless the hardware configuration of the machine has changed
- B- Since the initramfs contains kernel modules, a new initramfs must be built for the new kernel
- C- During the compilation of the Linux kernel, a new initramfs is built automatically. The new initramfs only needs to be installed
- D- The system should be restarted since the initramfs reconfigures itself for the new kernel during the startup of the system

Answer:

С

To Get Premium Files for 201-450 Visit

https://www.p2pexams.com/products/201-450

For More Free Questions Visit

https://www.p2pexams.com/lpi/pdf/201-450

