



**Free Questions for 303-200 by actualtestdumps**

**Shared by Martinez on 06-06-2022**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

## Question 1

---

**Question Type:** FillInTheBlank

---

What command is used to update NVTs from the OpenVAS NVT feed? (Specify ONLY the command without any path or parameters).

**Answer:**

---

**Explanation:**

---

<http://www.openvas.org/openvas-nvt-feed.html>

## Question 2

---

**Question Type:** MultipleChoice

---

Which of the following statements is used in a parameter file for setkey in order to create a new SPD entry?

**Options:**

---

A- spd

B- addspd

C- newspd

D- spdnew

E- spdadd

**Answer:**

---

E

## Question 3

---

**Question Type: MultipleChoice**

---

When OpenVPN sends a control packet to its peer, it expects an acknowledgement in 2 seconds by default. Which of the following options changes the timeout period to 5 seconds?

**Options:**

---

- A- -tls-timeout 5
- B- -tls- timeout 500
- C- -tls- timer 5
- D- -tls- timer 500

**Answer:**

---

A

## Question 4

---

**Question Type:** MultipleChoice

---

What effect does the following command have on TCP packets?

```
iptables- A INPUT -d 10.142.232.1 -p tcp -dport 20:21 -j ACCEPT
```

**Options:**

---

- A- Forward all TCP traffic not on port 20 or 21 to the IP address 10.142.232.1

- B-** Drop all TCP traffic coming from 10 142 232.1 destined for port 20 or 21.
- C-** Accept only TCP traffic from 10.142 232.1 destined for port 20 or 21.
- D-** Accept all TCP traffic on port 20 and 21 for the IP address 10.142.232.1

**Answer:**

---

C

## Question 5

---

**Question Type:** MultipleChoice

---

Which of the following stanzas is a valid client configuration for FreeRADIUS?

**Options:**

---

- A-** client pnvate-network-1 { ipaddr = 192 0 2.0/24 password = testing123-1 }
- B-** client private-network-1 { ip= 192.0.2.0/24 password-testing123-1 }
- C-** client private-network-1 { ip = 192 0 2.0/24 passwd = testing123-1 }
- D-** client private-network-1 { ip = 192 0.2.0/24 secret = testingl23-1 }

E- client private-network-1 { ipaddr = 192 0 2.0/24 secret = testing 123-1}

**Answer:**

---

E

## Question 6

---

**Question Type: MultipleChoice**

---

Which option of the openvpn command should be used to ensure that ephemeral keys are not written to the swap space?

**Options:**

---

A- --mlock

B- --no-swap

C- --root-swap

D- --keys-no-swap

**Answer:**

---

A

## Question 7

---

**Question Type:** MultipleChoice

---

Which of the following statements are valid wireshark capture filters? {Choose TWO correct answers.}

### Options:

---

- A- port range 10000:tcp-15000:tcp
- B- port-range tcp 10000-15000
- C- tcp portrange 10000-15000
- D- portrange 10000/tcp-15000/tcp
- E- portrange 10000-15000 and tcp

### Answer:

---

C, E

**To Get Premium Files for 303-200 Visit**

**<https://www.p2pexams.com/products/303-200>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/lpi/pdf/303-200>**

