

# **Free Questions for AZ-700 by certsdeals**

# Shared by Cooke on 18-01-2024

For More Free Questions and Preparation Resources

**Check the Links on Last Page** 

#### **Question Type:** MultipleChoice

You have an Azure subscription that is linked to an Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com. The subscription contains the following resources:

An Azure App Service app named App1

An Azure DNS zone named contoso.com

An Azure private DNS zone named private.contoso.com

A virtual network named Vnet1

You create a private endpoint for App1. The record for the endpoint is registered automatically in Azure DNS.

You need to provide a developer with the name that is registered in Azure DNS for the private endpoint.

What should you provide?

### **Options:**

A) app1.privatelink.azurewebsites.net

B) app1.contoso.com

C) app1.contoso.onmicrosoft.com

D) app1.private.contoso.com

#### Answer:

А

### **Question 2**

#### **Question Type:** MultipleChoice

You have an Azure subscription that contains the public IPv4 addresses shown in the following table.

mage not found or type unknown

You plan to create a load balancer named LB1 that will have the following settings:

Name: LB1

Location: West US

Type: Public

SKU: Standard

Which public IPv4 addresses can be used by LB1?

Options:		
A) IP1 and IP3 only		
B) IP3 only		
C) IP3 and IP5 only		
D) IP2only		
E) IP1, IP2. IP3. IP4. and IP5		
F) IP1, IP3, IP4, and 1P5 only		

#### Answer:

С

### Explanation:

https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-public-ip-address

This is because 'Load balancer and the public IP address SKU must match when you use them with public IP addresses' https://docs.microsoft.com/en-us/azure/load-balancer/skus

Standard SKU Load Balancer routes traffic within and across regions, and to Availability Zones for high resiliency.

## **Question 3**

### **Question Type: Hotspot**

You configure a route table named RT1 that has the routes shown in the following table.

You have an Azure virtual network named Vnet1 that has the subnets shown in the following table.


You have the resources shown in the following table.

where not to an express Route circuit. The on-premises router advertises the following routes:

10.0.0/16

b.0.0.0%

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.



**Question Type:** MultipleChoice

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains the following resources:

A virtual network named Vnet1

A subnet named Subnet1 in Vnet1

A virtual machine named VM1 that connects to Subnet1

Three storage accounts named storage1, storage2. and storage3

You need to ensure that VM1 can access storage1. VM1 must be prevented from accessing any other storage accounts.

Solution: You create a network security group (NSG). You configure a service tag for MicrosoftStorage and link the tag to Subnet1.

Does this meet the goal?

Options:			
A) Yes			
B) No			
Answer:			

В

### **Question 5**

#### **Question Type:** MultipleChoice

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains the following resources:

A virtual network named Vnet1

A subnet named Subnet1 in Vnet1

A virtual machine named VM1 that connects to Subnet1

Three storage accounts named storage1, storage2, and storage3

You need to ensure that VM1 can access storage1. VM1 must be prevented from accessing any other storage accounts.

Solution: You create a network security group (NSG) and associate the NSG to Subnet1.

Does this meet the goal?

Options:	
A) Yes	
B) No	

### Answer:

В

#### **Question Type:** MultipleChoice

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains the following resources:

A virtual network named Vnet1

A subnet named Subnet1 in Vnet1

A virtual machine named VM1 that connects to Subnet1

Three storage accounts named storage1, storage2, and storage3

You need to ensure that VM1 can access storage1. VM1 must be prevented from accessing any other storage accounts.

Solution: You configure the firewall on storage1 to only accept connections from Vnet1.

Does this meet the goal?

Options:			
A) Yes			
B) No			
Answer:			
В			

#### **Question Type:** Hotspot

You have two Azure virtual networks named Vnet1 and Vnet2 in an Azure region that has three availability zones.

You deploy 12 virtual machines to each virtual network, deploying four virtual machines per zone. The virtual machines in Vnet1 host an app named App1. The virtual machines in Vnet2 host an app named App2.

You plan to use Azure Virtual Network NAT to implement outbound connectivity for App1 and App2.

You need to identify the minimum number of subnets and Virtual Network NAT instances required to meet the following requirements:


A failure of two zones must NOT affect the availability of either App1 or App2.

A failure of two zones must NOT affect the outbound connectivity of either App1 or App2.

What should you identify? To answer, select the appropriate options in the answer are

a.

NOTE: Each correct selection is worth one point.



#### Answer:

### **Explanation:**

https://docs.microsoft.com/en-us/azure/virtual-network/nat-gateway/nat-overview

### **To Get Premium Files for AZ-700 Visit**

https://www.p2pexams.com/products/az-700

**For More Free Questions Visit** 

https://www.p2pexams.com/microsoft/pdf/az-700

