



Free Questions for MCD-Level-1 by go4braindumps

Shared by Chase on 07-06-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Explanation:

Correct answer is {customerID}.

Options:

A) var toUpper(userName) -> upper(userName)

B) fun toUpper(userName) = upper(userName)

C) fun toUpper(userName) -> upper(userName)

D) var toUpper(userName) = upper(userName)

Answer:

B

Explanation:


A function named toUpper needs to be defined that accepts a string named userName and returns the string in uppercase.

What is the correct DW code to define the toUpper function?

Question 2

Question Type: MultipleChoice

Refer to the exhibits.



Write ×

General

Advanced


Error Mapping

Metadata

✔ There are no errors.

+ ✖

Error types to be mapped:	Map to:
FILE:CONNECTIVITY	ORDER:NOT_CREATED



```
<flow name="acceptOrder">
  <http:listener doc:name="HTTP: POST /order" config-ref="HTTP_Listener_config"
    path="/order" allowedMethods="POST">
    <http:error-response >
      <http:body ><![CDATA[#[output text/plain --- payload]]]></http:body>
    </http:error-response>
  </http:listener>
  <file:write doc:name="Write" config-ref="File_Config" path="newOrder.json">
    <error-mapping sourceType="FILE:CONNECTIVITY" targetType="ORDER:NOT_CREATED" />
    <file:content ><![CDATA[#[output appliation/json --- payload]]]></file:content>
  </file:write>
  <set-payload value='#["File written"]' doc:name="'File written"' />
</flow>
```

A web client sends a POST request with the payload {"oid": "1000", "itemid": "AC200", "qty": "4" } to the Mule application. The File Write operation throws a FILE:CONNECTIVITY error.

What response message is returned to the web client?

Options:

- A) 'FILE:CONNECnvnY'
- B) 'ORDER:NOT_CREATED'
- C) 'OTHER ERROR'
- D) 'File written'


Answer:

B

Question 3

Question Type: MultipleChoice

Refer to the exhibits.



```
<flow name="getFruits">
  <http:listener doc:name="HTTP: GET /" config-ref="HTTP_Listener_config" path="/" />
  <scatter-gather doc:name="Scatter-Gather">
    <route> <flow-ref doc:name="banana" name="banana"/> </route>
    <route> <flow-ref doc:name="apple" name="apple"/> </route>
  </scatter-gather>
  <sub-flow name="apple" ><set-payload value="Apple" doc:name=""Apple"" /></sub-flow>
  <sub-flow name="banana"><set-payload value="Banana" doc:name=""Banana"" /></sub-flow>
</flow>
```

A web client submits a request to `http://localhost:8081`. What is the structure of the payload at the end of the flow?

A)

```
['Banana', 'Apple']
```

B)

```
{
  "0": "Banana",
  "1": "Apple"
}
```

C)

```
{
  "attributes": ...,
  "payload": ['Banana', 'Apple']
}
```

D)

```
{
  "0": {
    "attributes": ...,
    "payload": "Banana"
  }
  "1": {
    "attributes": ...,
    "payload": "Apple"
  }
}
```

Options:

- A) Option A
- B) Option B
- C) Option C
- D) Option D



Answer:

D

Question 4

Question Type: MultipleChoice

Refer to the exhibit.



```
<flow name="main">
  <http:listener doc:name="HTTP: GET /" config-ref="HTTP_Listener_config" path="/" />
  <http:request method="POST" doc:name="HTTP: POST /data" url="http://localhost:8081/data"/>
  <jms:publish-consume doc:name="JMS: num1" config-ref="JMS_Config" destination="num1"/>
  <jms:publish doc:name="JMS: num2" config-ref="JMS_Config" destination="num2"/>
  <set-payload value="#[payload + 1]" doc:name="payload + 1" />
</flow>
```

What payload is returned from a request to http://localhost.8081/

Refer to the exhibits, what payload is returned from a request to http://localhost;8081/?

Options:

- A) 1
- B) 2
- C) 3
- D) 4

Answer:

C

Question 5

Question Type: MultipleChoice

Refer to the exhibits.



Message Flow Global Elements Configuration XML

Set to XML x Problems Console

There are no errors.

General

Metadata

Notes

Display Name: Set to XML

Settings

```
<ns2:listAllFlightsResponse xmlns:ns2="http://soap.training.mulesoft.com/">
  <return>

```

Encoding: [dropdown]

MIME Type: [dropdown]

```
<flow name="getFlights" >
  <http:listener doc:name="HTTP: GET /flights" config-ref="HTTP_Listener_config" path="/flights"/>
  <set-payload value='&lt;ns2:listAllFlightsResponse xmlns:ns2="http://soap.training.mulesoft.com/"&gt;
    &lt;return&gt;
    &lt;airlineName&gt;Delta&lt;/airlineName&gt;
    &lt;code&gt;A1B2C3&lt;/code&gt;
    &lt;departureDate&gt;2015/03/20&lt;/departureDate&gt;
    &lt;/return&gt;
    &lt;/ns2:listAllFlightsResponse&gt;' doc:name="Set to XML" />
  <ee:transform doc:name="typeOf(payload)" doc:id="43898508-15e2-4cb7-8d0b-bd9c2929209e" >
    <ee:message><ee:set-payload ><![CDATA[%dw 2.0
      output application/json
      ---
      typeOf(payload)]]></ee:set-payload>
    </ee:message>
  </ee:transform>
</flow>
```

A web client submits a request to `http://localhost:8081 /flights`. What is the result at the end of the flow?

Options:

- A) 'string'
- B) 'Java'
- C) 'object'
- D) 'XML'


Answer:

A

Question 6

Question Type: MultipleChoice

Refer to the exhibits.



The main flow contains an HTTP Request. The HTTP Listeners and HTTP Request use default configurations.

What values are accessible in the child flow after a web client submits a request to `http://localhost:8081/order`? col or = red?

Options:

A) payload

B) payload
quantity var

C) payload
color query param

D) payload
quantity var color query param


Answer:

A

Question 7

Question Type: MultipleChoice

Refer to the exhibit.



The main flow contains a Flow Reference for the child flow.

What values are accessible in the child flow after a web client submits a request to `http://localhost:8Q81/order? color=red?`

Options:

- A) payload
- B) payload
quantity var
- C) payload
color query param
- D) payload
quantity var color query param


Answer:

D

Question 8

Question Type: MultipleChoice

Refer to the exhibits.



The main flow contains an HTTP Request. The HTTP Listeners and HTTP Request use default configurations.

What values are accessible in the child flow after a web client submits a request to `http://localhost:8081/order? col or = red?`

Options:

A) payload

B) payload
quantity var

C) payload
color query param

D) payload
quantity var color query param


Answer:

A

Question 9

Question Type: MultipleChoice

Refer to the exhibits.



```

<flow name="getFruits">
  <http:listener doc:name="HTTP: GET /" config-ref="HTTP_Listener_config" path="/" />
  <scatter-gather doc:name="Scatter-Gather">
    <route> <flow-ref doc:name="banana" name="banana"/> </route>
    <route> <flow-ref doc:name="apple" name="apple"/> </route>
  </scatter-gather>
  <transform-message doc:name="Transform Message" />
  <http:listener doc:name="HTTP: GET /" config-ref="HTTP_Listener_config" path="/" />
</flow>

<sub-flow name="apple"><set-payload value="Apple" doc:name="" /></sub-flow>
<sub-flow name="banana"><set-payload value="Banana" doc:name="" /></sub-flow>

```

A web client submits a request to `http://localhost:8081`. What is the structure of the payload at the end of the flow?

A)

```
['Banana', 'Apple']
```

B)

```
{
  "0": "Banana",
  "1": "Apple"
}
```

C)

```
{
  "attributes": ...,
  "payload": ['Banana', 'Apple']
}
```

D)

```
{
  "0": {
    "attributes": ...,
    "payload": "Banana"
  }
  "1": {
    "attributes": ...,
    "payload": "Apple"
  }
}
```

Options:

- A) Option A
- B) Option B
- C) Option C
- D) Option D

Answer:

D

Question 10

Question Type: MultipleChoice

Refer to the exhibits.



Message Flow Global Elements Configuration XML

Set to XML x Problems Console

There are no errors.

General

Metadata

Notes

Display Name: Set to XML

Settings

```
<ns2:listAllFlightsResponse xmlns:ns2="http://soap.training.mulesoft.com/">
  <return>

```

Encoding: [dropdown]

MIME Type: [dropdown]

```
<flow name="getFlights" >
  <http:listener doc:name="HTTP: GET /flights" config-ref="HTTP_Listener_config" path="/flights"/>
  <set-payload value='&lt;ns2:listAllFlightsResponse xmlns:ns2="http://soap.training.mulesoft.com/"&gt;
    &lt;return&gt;
    &lt;airlineName&gt;Delta&lt;/airlineName&gt;
    &lt;code&gt;A1B2C3&lt;/code&gt;
    &lt;departureDate&gt;2015/03/20&lt;/departureDate&gt;
    &lt;/return&gt;
    &lt;/ns2:listAllFlightsResponse&gt;' doc:name="Set to XML" />
  <ee:transform doc:name="typeOf(payload)" doc:id="43898508-15e2-4cb7-8d0b-bd9c2929209e" >
    <ee:message><ee:set-payload ><![CDATA[%dw 2.0
      output application/json
      ---
      typeOf(payload)]]></ee:set-payload>
    </ee:message>
  </ee:transform>
</flow>
```

A web client submits a request to `http://localhost:8081 /flights`. What is the result at the end of the flow?

Options:

- A) 'string'
- B) 'Java'
- C) 'object'
- D) 'XML'

Answer:

A

Question 11

Question Type: MultipleChoice

Refer to the exhibit.



The main flow contains a Flow Reference for the child flow.

What values are accessible in the child flow after a web client submits a request to `http://localhost:8Q81/order? color=red?`

Options:

- A) payload
- B) payload
quantity var

C) payload
color query param

D) payload
quantity var color query param


Answer:

D

Question 12

Question Type: MultipleChoice

Refer to the exhibits.



Write ×

General

Advanced


Error Mapping

Metadata

✔ There are no errors.

+ ✖

Error types to be mapped:	Map to:
FILE:CONNECTIVITY	ORDER:NOT_CREATED



```
<flow name="acceptOrder">
  <http:listener doc:name="HTTP: POST /order" config-ref="HTTP_Listener_config"
    path="/order" allowedMethods="POST">
    <http:error-response >
      <http:body ><![CDATA[#[output text/plain --- payload]]]></http:body>
    </http:error-response>
  </http:listener>
  <file:write doc:name="Write" config-ref="File_Config" path="newOrder.json">
    <error-mapping sourceType="FILE:CONNECTIVITY" targetType="ORDER:NOT_CREATED" />
    <file:content ><![CDATA[#[output appliation/json --- payload]]]></file:content>
  </file:write>
  <set-payload value='#["File written"]' doc:name="'File written"' />
</flow>
```

A web client sends a POST request with the payload {"oid": "1000", "itemid": "AC200", "qty": "4" } to the Mule application. The File Write operation throws a FILE:CONNECTIVITY error.

What response message is returned to the web client?

Options:

- A) 'FILE:CONNECnvnY'
- B) 'ORDER:NOT_CREATED'
- C) 'OTHER ERROR'
- D) 'File written'

Answer:

B

To Get Premium Files for MCD-Level-1 Visit

<https://www.p2pexams.com/products/mcd-level-1>

For More Free Questions Visit

<https://www.p2pexams.com/mulesoft/pdf/mcd-level-1>

