



Free Questions for MCD-Level1-Delta by certsdeals

Shared by Walsh on 05-04-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

What is the minimum required configuration in a flow for a Mule application to compile?

Options:

- A- An event source
- B- RAML file
- C- An event processor
- D- Logger Component

Answer:

C

Question 2

Question Type: MultipleChoice

What module and operation will throw an error if a Mule event's payload is not a number?

Options:

- A- Validation module's Is number operation
- B- Filter module's Is number operation
- C- None of these
- D- Validation module's Is not a number operation


Answer:

A

Question 3

Question Type: MultipleChoice

Refer to the exhibits.



```
<flow name="main" >
  <http:listener doc:name="HTTP: GET /" config-ref="HTTP_listener_config" path="/" allowedMethods="GET"/>
  <set-payload value="#[[1,2,3,4]]" doc:name="[1,2,3,4]" />
  <set-variable value='10' doc:name="quantity = 10" variableName="quantity" />
  <foreach doc:name="For Each" >
    <set-payload value='#["order" ++ payload]' doc:name="'order" ++ payload' />
    <set-variable value="#[vars.quantity + 1]" doc:name="quantity + 1" variableName="quantity" />
  </foreach>
  <logger level="INFO" doc:name="Logger" message='#[[ payload, vars.quantity ]]' />
</flow>
```

What payload and quantity are logged at the end of the main flow?

Options:

A- [[order1, order2, order3, order4], 14]

B- [[1,2,3,4], 10]

C- [[1,2,3,4], 14]

D- [orderlorder2order3order4, 14]

Answer:

C

Question 4

Question Type: MultipleChoice

A company has an API to manage departments, with each department identified by a unique deptId. The API was built with RAML according to MuleSoft best practices.

What is valid RAML to specify a method to update the details for a specific department?

Options:

A- Option

```
/departments:  
  /{deptId}:  
    patch:
```

B- Option

```
/departments:  
  /{deptId}:  
    patch:
```

C- Option

```
/departments:  
  /{deptId}:  
    patch:
```

D- Option

```
/departments:  
  /{deptId}:  
    patch:
```


Answer:

D

Question 5

Question Type: MultipleChoice

Refer to the exhibit.



Message Flow Global Elements Configuration XML

Logger x Problems Console

General

Metadata

Notes

Help

There are no errors.

Display Name:

Generic

Message:

Level:

Category:

The Database Select operation returns five rows from a database. What is logged by the Logger component?

Options:

A- 'Array'

B- 'Object'

C- 'LinkedHashMap'

D- 'CaseInsensitiveHashMap'


Answer:

C

Question 6

Question Type: MultipleChoice

Refer to the exhibits.



The main flow contains a Flow Reference to the child flow.

A web client sends a GET request to the main flow's HTTP Listener that includes a make query parameter.

What values are accessible in the child flow?

Options:

A- payload

B- payload

make query param

C- payload

model var

D- payload

make query param model var

Answer:

D

To Get Premium Files for MCD-Level1-Delta Visit

<https://www.p2pexams.com/products/mcd-level1-delta>

For More Free Questions Visit

<https://www.p2pexams.com/mulesoft/pdf/mcd-level1-delta>

