



NABP FPGEE Practice Questions

Shared by Riley on 14-10-2026

For More Free Questions and Preparation Resources

Check the Links on Last Page



Question 1

Question Type: MultipleChoice

Mechanism of action of salbutamol is:

Options:

- A- opiate agonist
- B- Blocks sustained repetitive neuronal firing
- C- beta-2 agonist
- D- Inhibits phospholipase A2
- E- Inhibits phospholipase C

Answer:

C

Question 2

Question Type: MultipleChoice

Class of timolol is:

Options:

- A- Antiarrhythmic agents
- B- Antithyroid agents
- C- Anticonvulsants
- D- Beta blockers
- E- Antidepressants

Answer:

D

Question 3

Question Type: MultipleChoice

Which option best is considered as the best treatment of asthma?

Options:

- A- 2-agonists
- B- -Blockers
- C- -agonists
- D- Anticholinergic drugs
- E- Cholinergic drugs

Answer:

A

Question 4

Question Type: MultipleChoice

Example of methyl xanthine used in the treatment of respiratory complications include:

Options:

- A- Theophyllin
- B- Terbutaline
- C- Ipratropium
- D- Zafirlukast
- E- Salmeterol

Answer:

A

Question 5

Question Type: MultipleChoice

Indication of phenoxybenzamine is:

Options:

- A- Pain
- B- Movement disorders
- C- Thyrotoxicosis - preparation for radioactive iodine therapy
- D- Anaphylactic shock
- E- Acute hypertension

Answer:

E

Question 6

Question Type: MultipleChoice

Which of the following vitamin has its chemical structure related to PABA?

Options:

- A- Cyanocobalamin
- B- Folic acid
- C- Pantothenic acid
- D- Pyridoxine
- E- Niacin

Answer:

C

Question 7

Question Type: MultipleChoice

The mechanism of antipsychotic effect of phenothiazines is thought to be due to:

Options:

- A- improvement of cholinergic transmission
- B- blockade of catecholamine re-uptake
- C- blockade of dopamine receptors

- D- blockade of enkephalinergic neurons
- E- prolactin release

Answer:

C

Question 8

Question Type: MultipleChoice

Which option best statements refers to phenelzine?

Options:

- A- Mechanism of action probably involves NO.
- B- Rapid IV infusion predisposes to neuromuscular paralysis.
- C- May work when other antidepressants fail.
- D- Long half-life.
- E- MOA is inhibited irreversibly. Response occurs when >80% platelet MOA is inhibited.

Answer:

E

Question 9

Question Type: MultipleChoice

Subclass of lomefloxacin is:

Options:

- A- Fluoroquinolones
- B- IA
- C- Calciferols
- D- Beta-lactamase resistant penicillins
- E- Aldosterone antagonists

Answer:

A

Question 10

Question Type: MultipleChoice

Drug considered as the drug of choice in a specific asthma emergency treatment include:

Options:

- A- Salmeterol
- B- Adrenaline
- C- Albuterol
- D- Cortisone
- E- Zafirlukst

Answer:

C

P2P
exams

P2P
exams

To Get Premium Files for FPGEE Visit

<https://www.p2pexams.com/products/fpgee>

For More Free Questions Visit

<https://www.p2pexams.com/nabp/pdf/fpgee>

20%
DISCOUNT

P2P
exams