



Free Questions for NS0-175 by [braindumpscollection](#)

Shared by [Charles](#) on [15-04-2024](#)

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

Which Cisco UCS Fabric Interconnect model has multiple 100 Gbps ports available for use?

Options:

- A- Cisco UCS 6332
- B- Cisco UCS 6324
- C- Cisco UCS 6454
- D- Cisco UCS 6332-16UP

Answer:

C

Question 2

Question Type: MultipleChoice

You are designing a FlexPod solution with secure multitenancy for a company. Each department in the company wants to use their own storage and to be integrated with Windows Active Directory.

In this scenario, which three technologies should be included in the design? (Choose three.)

Options:

A- IPspaces

B- NVMe

C- S3

D- CIFS

E- Storage Virtual Machine

Answer:

B, D, E

Question 3

Question Type: MultipleChoice

Exhibit 1:




Figure 1





Figure 2

Exhibit 2:



Referring to the exhibit, UCS Fabric Interconnect 6300-A fails as shown in Figure 1. Due to the storage LIF configuration, after UCS Fabric Interconnect 6300-A is restored, traffic flows as shown in Figure 2.

To enable this capability, on which two UCS port types should storage VLANs be accessible? (Choose two.)

Options:

- A- uplink ports
- B- appliance ports
- C- fabric ports
- D- switch ports

Answer:

A, B

Question 4

Question Type: MultipleChoice

A customer plans to decommission a Cisco UCS B-Series server, as part of this action, the customer disassociates the service profile from the currently assigned server.

Which action is performed by UCS Manager in this scenario?

Options:

- A- It reboots the primary Fabric Interconnect immediately

- B-** It recalculates the power allotment for each blade server within the chassis
- C-** It reboots the secondary Fabric Interconnect immediately
- D-** It powers down the server

Answer:

A

Question 5

Question Type: MultipleChoice

A customer has configured a FlexPod solution and is experiencing issues with connectivity from the Cisco Nexus switches to the NetApp AFF controllers. The customer must verify connectivity using the FC protocol.

What are two ways to troubleshoot this problem? (Choose two.)

Options:

- A-** Use the WWNN
- B-** Use the WWPN

C- Use the FCID

D- Use Domain ID

Answer:

B, C

Question 6

Question Type: MultipleChoice

You have a customer that wants to deploy a new data center environment and take advantage of server portability. You propose that they use Cisco UCS servers to take advantage of stateless computing operations.

In this scenario, which Cisco UCS feature would help the customer achieve their objective?

Options:

A- SEL logs

B- MAC address pools

C- Service Profiles

D- VSANs

Answer:

C

Question 7

Question Type: MultipleChoice

A customer wants to upgrade their core fabric between each site with a modular chassis switch that supports up to 400GbE per port to accommodate more business transaction volume.

In this scenario, which device would help them accomplish their objective?

Options:

A- Cisco Nexus 9504

B- Cisco Nexus 9332C

C- Cisco MDS 9706

D- Cisco Catalyst 9400

Answer:

A

Question 8

Question Type: MultipleChoice

Your environment currently has a 12-node NetApp cluster serving iSCSI. You need to add at least four more nodes to serve FC to your environment.

In this scenario, what should you do?

Options:

- A-** You can safely add up to 4 more storage controllers in the current cluster
- B-** You can safely add up to 6 more storage controllers in the current cluster
- C-** You must create a new cluster with the new storage controllers
- D-** You can safely add up to 12 more storage controllers in the current cluster

Answer:

A

Question 9

Question Type: MultipleChoice

A customer is unhappy with their current data center infrastructure. They want to purchase a FlexPod system to replace it. The customer asks you to help them understand the benefits of Solution Support to determine which support model would suit them best.

In this scenario, which three statements are correct? (Choose three.)

Options:

- A- You have a single point of contact for all cases
- B- Solution Support is a lower-cost support option
- C- There is no need to diagnose the problem before you call support
- D- Customers do not need to open tickets; all issues are automatically reported
- E- Issues are solved by solution experts

Answer:

A, B, E

Question 10

Question Type: MultipleChoice

A customer is deploying a FlexPod Datacenter and planning to boot from SAN each their UCS blades using the Fibre Channel Protocol.

In this scenario, which three actions would accomplish their objective? (Choose three.)

Options:

- A-** Use only a pair of Cisco Nexus 9318YC-FX switches
- B-** Create an igroup on the NetApp ONTAP storage system with the appropriate IQNs
- C-** Use only a pair of Cisco Nexus 9336C-FX2 switches
- D-** Use a pair of Cisco MDS 9148T and a fair of Cisco 9336C-FX2 switches together
- E-** Create an igroup on the NetApp ONTAP storage system with the appropriate WWPNs

Answer:

A, B, E

To Get Premium Files for NS0-175 Visit

<https://www.p2pexams.com/products/ns0-175>

For More Free Questions Visit

<https://www.p2pexams.com/netapp/pdf/ns0-175>

