Free Questions for 4A0-N01 by go4braindumps

Shared by Miller on 18-01-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

What statement is TRUE regarding the workflow for live migration of a virtual machine with Nuage VCS?

Options:

A) Only the destination hypervisor's VRS agent notifies the VSC of the VM migration.

B) Both the source and destination hypervisor's VRS agents notify the VSC of the VM migration.

C) VSD is not notified of the VM migration.

D) CMS (if used) is not notified of the VM migration.

Answer:

B

Question 2

Question Type: MultipleChoice

What statement about floating public IP addresses in the Nuage environment is CORRECT?

Options:

A) They are managed by enterprise admin users.

B) NAT is performed for the traffic leaving the enterprise domain and entering the public network.

C) Once a floating IP is configured on the vPort , the VM will stop using its enterprise private IP address.

D) There can be more that one floating IP address associated with one vPort.

Answer:

D

Question 3

Question Type: MultipleChoice

What statement about the Nuage 7850 VSG is TRUE?

Options:

A) 1.2 Tbps capacity in 1 RU.

B) It is ideal as a spine router.

C) UP to four Nuage VSGs can be combined into a single chassis.

D) A hypervisor can be connected to two Nuage 7850 VSGs in an active.active MC-LAG

Answer:

D

Question 4

Question Type: MultipleChoice

What statement is TRUE regarding the workflow for live migration of a virtual machine with Nuage VCS?

Options:

A) Only the destination hypervisor's VRS agent notifies the VSC of the VM migration.

B) Both the source and destination hypervisor's VRS agents notify the VSC of the VM migration.

C) VSD is not notified of the VM migration.

D) CMS (if used) is not notified of the VM migration.

Answer:

B

Question 5

Question Type: MultipleChoice

What statement is FLASE regarding a virtual machine connected to a DC managed by Nuage VCS?

Options:

A) A Nuage virtual machine can belong to multiple enterprises

B) A Nuage virtual machines can belong to multiple domains.

C) A Nuage virtual machine can belong to multiple zones.

D) A Nuage virtual machine can belong to multiple subnet

Answer:

A

Question 6

Question Type: MultipleChoice

What statement about the relationship between the SDN controller and VTEP devices is correct?

Options:

A) The SDN controller controls VTEP devices using Openflow and tells the VTEP devices which routing/birding protocol to use to dynamically learn the VTEP forwarding table.

B) The SDN controller collect VM-related information such as MAC and IP, and leads the VTEP devices with this information.

C) The optimal deployment is one SDN controller per VTEP device.

D) The optimal deployment is one SDN controller for all VTEP devices

Answer:

B

Question 7

Question Type: MultipleChoice

Which four Openstack projects implement Nuage integration?

Options:

A) Keystone, Heat, Neutron, Nova

B) Ironic, Heat, Horizon, Neutron

C) Cinder, Horizon, Neutron, Nova

D) Ironic, Heat, Neutron, Nova

Answer:

A

Question 8

Question Type: MultipleChoice

Which of the following is a solution to create virtual is which the server runs the hypervisor as a specialized operating system and, as a consequence, there is no need for a conventional operating system?

Options:

A) Kernel

B) Container

C) Native hypervisor

D) Hosted hypervisor

Answer:

C

Question 9

Question Type: **MultipleChoice**

What statement is FLASE regarding the forwarding polices used in VCS for traffic redirection (also known as service chaining)?

Options:

A) Forwarding policies can be applied to either ingress or egress traffic.

B) Redirection targets should be created in advanced and associated with vPorts.

C) Redirection targets cannot be associated with host vPort (physical appliances)

D) A forwarding policy can be created in an active domain or be instantiated from a template.

Answer:

C

Question 10

Question Type: **MultipleChoice**

Which two elements of the Nuage VCS solution act respectively as the control and data plane of a virtual router?

Options:

A) VSD and VSC

B) VSC and VRG

C) VSC and VRS

D) VSD and VSG

Answer:

C

Question 11

Question Type: MultipleChoice

For a packet transmitted using VxLAN encapsulation, where VxLAN header within this packet.

Options:

A) It is part of the Layer 2 Ethernet header, just like VLAN.

B) It is added between the Layer 2 header and the Layer 3 IP header.

C) It is added between the Layer 3 IP header and the TCP/UDP transport layer header.

D) It is added between the UDP header and the payload

Answer:

D

To Get Premium Files for 4A0-N01 Visit

https://www.p2pexams.com/products/4a0-n01

For More Free Questions Visit

https://www.p2pexams.com/nokia/pdf/4a0-n01