



Free Questions for 1Z0-063 by dumpssheet

Shared by Barrera on 06-06-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

The HR user updates the salary of one of the employees in the EMPLOYEES table, but does not commit the transaction.

Which type of lock would this scenario lead to?

Options:

- A- Exclusive table-level lock on the EMPLOYEES table
- B- Row-exclusive lock on the row being updated
- C- Null lock on the EMPLOYEES table
- D- Null lock on the row being updated

Answer:

B

Question 2

Question Type: MultipleChoice

What is the benefit of running the catctl.pl script during an upgrade of a pre-12c database to an Oracle 12c database?

Options:

- A- It generates a log file containing the fixes that can be made to the source database.
- B- It recompiles all invalid PLSQL and Java code.
- C- It provides parallel upgrade options to finish the upgrade process with a reduced down time.
- D- It provides a summary of the upgrade results.
- E- It generates fixup scripts to be run on the source database before upgrade.

Answer:

C

Question 3

Question Type: MultipleChoice

You want to create a database with a block size other than the default 8 KB by using the Database Configuration Assistant (DBCA).

Which option should you use?

Options:

- A- A custom database template
- B- A Data Warehouse database template
- C- Automatic Storage Management (ASM) for storage of data files
- D- A file system for storage of data files

Answer:

A

Question 4

Question Type: MultipleChoice

Your database is running in ARCHIVELOG mode and flashback is enabled.

In which scenario must you use RMAN backups for recovering tables and table partitions?

Options:

- A- when recovering a table to a point in time
- B- when recovering a table that has been logically corrupted
- C- when recovering dropped tables that are present in the recyclebin
- D- when recovering the data of a table to the desired point in time, which is more recent than the oldest available undo
- E- when recovering data that was lost after a DDL operation modified the structure of a table

Answer:

A

Question 5

Question Type: MultipleChoice

In your database, the user SCOTT wants to retrieve the dropped HR.EMPLOYEES table by using the command:

```
SQL> FLASHBACK TABLE HR.EMPLOYEES TO BEFORE DROP;
```

What are three prerequisites for this command to succeed? (Choose three.)

Options:

- A- Undo retention guarantee must be enabled.
- B- No other table with the same name should exist in the HR schema.
- C- SCOTT should have the FLASHBACK ANY TABLE privilege.
- D- SCOTT should have the SELECT privilege on the HR schema and its recyclebin.
- E- No duplicates of the HR.EMPLOYEES table should exist in the recyclebin of the HR schema.
- F- The recycle bin should be enabled.

Answer:

B, C, F

Question 6

Question Type: MultipleChoice

Which two are prerequisites for performing Flashback Transaction? (Choose two.)

Options:

- A- A supplemental log must be enabled for the primary key.

- B-** Undo retention guarantee must be configured for the database.
- C-** Fast Recovery Area must be enabled for the database.
- D-** The EXECUTE privilege must be granted to a user on the DBMS_FLASHBACK package.
- E-** Row movement must be enabled.

Answer:

A, D

Question 7

Question Type: MultipleChoice

You use RMAN to take regular backups for your database.

Examine the RMAN commands:

```
RMAN> CROSSCHECK BACKUP;
```

```
RMAN> DELETE EXPIRED BACKUP;
```

Which statement is true?

Options:

- A- All backups and archived redo log files that are not required for the recovery are deleted and the repository is updated.
- B- All metadata, for backups and archived redo log files that are recorded in the repository but do not exist on disk or media, is deleted.
- C- All backups that have exceeded the age set by the RMAN retention policy are deleted.
- D- All metadata pertaining to backups and archived redo log files that have exceeded the age set by the RMAN retention policy are deleted from the repository.

Answer:

B

Question 8

Question Type: MultipleChoice

You are performing regular backups of your production database by using a recovery catalog.

You add two new tablespaces to your production database after performing a backup. They must be included in future backups.

Which action should you perform?

Options:

- A- Synchronize the recovery catalog with the target database control file.
- B- Create a new database incarnation record.
- C- Add the tablespaces in the recovery catalog by using the CATALOG command.
- D- Synchronize all the physical data files with the logical records in the recovery catalog by using the CROSSCHECK command.

Answer:

A

Question 9

Question Type: MultipleChoice

Which three factors influences the optimizer's choice of an execution plan? (Choose three.)

Options:

- A- Cardinality estimates

- B-** The OPTIMIZER_MODE initialization parameter
- C-** Fixed baselines
- D-** Type of connection used to connect to database instance
- E-** Object statistics in the data dictionary

Answer:

A, B, E

Question 10

Question Type: MultipleChoice

Which two operations are NOT performed by the DUPLICATE command in RMAN while duplicating a database that is open? (Choose two.)

Options:

- A-** creating a control file for the duplicate database
- B-** restoring target data files to the duplicate database

- C- performing complete recovery by using all available backups
- D- generating a new, unique database identifier (DBID) for the duplicate database
- E- copying online redo log files from the target database to the duplicate database

Answer:

C, E

To Get Premium Files for 1Z0-063 Visit

<https://www.p2pexams.com/products/1z0-063>

For More Free Questions Visit

<https://www.p2pexams.com/oracle/pdf/1z0-063>

