

# **Free Questions for 1Z0-083 by dumpssheet**

## Shared by Boyd on 29-01-2024

For More Free Questions and Preparation Resources

**Check the Links on Last Page** 

### **Question 1**

#### **Question Type:** MultipleChoice

Choose two. Which two are true about backup set compression using RMAN default compression?

#### **Options:**

- A- Compressed backups cannot have a section size defined.
- B- Compressed backups can be written only to media.
- C- Binary compression adds CPU overhead to backup operations.
- **D-** Unused blocks below the high water mark are backed up.
- E- Compression can be done only for locally managed tablespaces.

#### Answer:

A, C

### **Question 2**

**Question Type:** MultipleChoice

Choose two. Which two are true about Oracle Grid Infrastructure for a Standalone Server?

#### **Options:**

- A- It can manage database resources on the server where it is installed or on a different server.
- **B-** The CSS daemon runs from the Grid Infrastructure home.
- C- It supports volume management, file system, and automatic restart capabilities.
- D- It requires Oracle Automatic Storage Management (ASM) components to be installed separately.
- E- It must be installed before the Oracle database software is installed.

Answer:	
B, C	

### **Question 3**

**Question Type:** MultipleChoice

Choose three. Which three are true about Oracle pluggable databases (PDBs)?

#### **Options:**

- A- A PDB can be plugged into a CDB only if both are of the same Oracle Database release.
- B- An unplugged PDB can be plugged into multiple CDBs simultaneously by sharing data files.
- C- A PDB unplugged from a container database (CDB) can be plugged into a different CDB without altering any of its schemas.
- D- A non-CDB can be converted into a PDB.
- E- A PDB in a remote CDB can be accessed transparently thereby aggregating results from local and remote PDBs.
- F- A PDB created from PDB\$SEED must be set to READ WRITE after loading data.
- G- A PDB created from PDB\$SEED must be set to READ ONLY after loading data.

### Answer: C, D, E

### **Question 4**

**Question Type:** MultipleChoice

Choose three. Which three are true about cloning databases into an existing CDB with RMAN?

#### **Options:**

- A- A non-CDB can be cloned into a PDB.
- B- A user with SYSDBA or SYSBKUP must be logged in with RMAN to CDB\$ROOT when cloning a PDB.
- C- Only one PDB can be cloned at a time.
- **D-** Two or more PDBs can be cloned with the same command.
- E- A user with SYSDBA or SYSBKUP must be logged in with RMAN to the non-CDB being cloned when cloning a non-CDB.
- F- The target and auxiliary instance passwords must be the same.

### Answer: A, C, F

## **Question 5**

#### **Question Type:** MultipleChoice

Choose two. Which two are true about the automatic execution of operating system scripts when performing silent mode installation starting from Oracle Database 19c?

#### **Options:**

- A- The response file can specify the path of the sudo program.
- B- The response file must contain the root or sudo password.
- C- Silent install always runs operating scripts automatically.
- D- The response file can specify the root or sudo password.
- E- The installer will prompt for the root or sudo password.

#### Answer:

C, E

## **Question 6**

#### **Question Type:** MultipleChoice

Choose two. Which two restrictions apply when the RMAN BACKUP AS COPY command is used to create a backup?

#### **Options:**

A- Backups can be taken only if a fast recovery area is configured.

- B- Backups can be written only to disk.
- C- Backups can be taken only for data files.
- **D-** Binary compression cannot be applied to the backup.
- E- Backups can be written only if checksums are stored for each block.
- F- Backups can be written only to media.

Answer:		
B, D		

### **Question 7**

**Question Type:** MultipleChoice

Choose three. Which three are true about block media recovery?

#### **Options:**

A- To use it, Flashback Database must be enabled.

**B-** A block being recovered is not accessible.

C- It cannot repair logical corruption.

- D- It can be performed on noncorrupt blocks.
- E- The target database for which one or more blocks are to be recovered must be in the OPEN state.
- **F-** The data file containing the block being recovered remains online.

#### Answer: A, B, F

### **Question 8**

**Question Type: MultipleChoice** 

Choose two. Which two are true about Oracle Database Configuration Assistant (DBCA)?

#### **Options:**

- A- It can only be launched from the command line interface.
- B- It can be launched from both the command line and the Universal Installer (OUI) interfaces.
- C- It can be used to create container databases and non-container databases.

**D-** It can be used to change the character set of an existing database.

E- It can be used to convert a non-container database to a container database.

#### **Answer:**

B, C

### **Question 9**

#### **Question Type:** MultipleChoice

Choose three. Which three are true about Rapid Home Provisioning (RHP), which has been available since Oracle 18c?

#### **Options:**

- A- It can be used to deploy Grid Infrastructure homes, including Oracle Restart.
- B- It can be used to deploy Oracle Database homes.
- C- It is an Oracle Database service.
- D- It cannot be used to provision applications.
- E- It cannot be used to provision middleware.

F- It is an Oracle Grid Infrastructure service.

Answer:		
A, B, F		

### To Get Premium Files for 1Z0-083 Visit

https://www.p2pexams.com/products/1z0-083

For More Free Questions Visit

https://www.p2pexams.com/oracle/pdf/1z0-083

