



Free Questions for 1Z0-083 by vceexamstest

Shared by Walters on 07-06-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Which three actions are performed by the Oracle Preinstallation RPM, oracle-database-server-xxxx- preinstall, for Oracle Grid Infrastructure, where xxxx is the Oracle version and release? (Choose three.)

Options:

- A) performing checks to ensure minimum configuration requirements for Oracle Grid Infrastructure are met
- B) creating the oracle OS user
- C) creating the OSDBA (dba) group
- D) creating thte oraInventory (oinstall) group
- E) creating the grid OS user
- F) configuring the OS for Oracle Automatic Storage Management shared storage access

Answer:

B, C, D

Question 2

Question Type: MultipleChoice

Which three are located by using environment variables? (Choose three.)

Options:

- A) the Optimal Flexible Architecture (OFA) compliant path to store Oracle software and configuration files.
- B) the location of Oracle Net Services configuration files
- C) the list of a disk group names to be mounted by an Oracle Automatic Storage Management (ASM) instance at startup
- D) default directories for temporary files used by temporary tablespaces
- E) the temporary disk space used by Oracle Installer during installation
- F) the maximum number of database files that can be opened by a database instance

Answer:

A, B, E

Question 3

Question Type: MultipleChoice

Which two are true about the Oracle database methodology? (Choose two.)

Options:

- A) The Oracle Database time model should be used to find the database and instance areas most in need of tuning.
- B) Tuning activities should stop once the user is satisfied with performance.
- C) Tuning activities should stop once agreed service levels for performance have been met.
- D) The database instance memory should always be tuned before tuning any file systems.
- E) SQL statements should always be tuned before tuning any file systems.
- F) The alert log should be used to find the database and instance areas most in need of tuning.

Answer:

A, E

Question 4

Question Type: MultipleChoice


You are managing this configuration:

CDB1 is a container database.

PDB1 and PDB2 are two pluggable databases in CDB1.

USER1.EMP is a table in PDB1 and USER2.DEPT is a table in PDB2.

CDB1 user SYS executes these commands after connecting successfully to PDB2:



Which two are true? (Choose two.)

Options:

- A) The inserts on USER1.EMP remain uncommitted when the session connected to PDB2.
- B) The inserts on USER1.EMP were committed when the session inserted a row into USER2.DEPT.
- C) The insert on USER2.DEPT fails because of the active transaction in the parent container.
- D) The insert on USER2.DEPT is a recursive autonomous transaction by the child session and is committed.
- E) The inserts on USER1.EMP were rolled back when the session connected to PDB2.
- F) The insert on USER2.DEPT is uncommitted.

G) The inserts on USER1.EMP were committed when the session connected to PDB2.

Answer:

F, G

Question 5

Question Type: MultipleChoice

Examine this configuration:

CDB1 is an Oracle Database 12c Release 2 database containing pluggable databases PDB\$SEED, PDB1, and PDB2.

PDB\$SEED is open READ ONLY

PDB1 is open READ WRITE

PDB2 is MOUNTED.

ORACLE_HOME is /u01/app/oracle/product/18.1.0/dbhome_1.

You execute these commands before upgrading the database to the current release:

Image not found or type unknown



For which databases will fixup scripts be created?

Options:

- A) CDB1, PDB\$SEED, PDB1, and PDB2
- B) PDB\$SEED, PDB1, and PDB2 only
- C) CDB1 and PDB\$SEED only
- D) CDB1, PDB1, and PDB2 only
- E) CDB1, PDB\$SEED, and PDB1 only

Answer:

E

Question 6

Question Type: MultipleChoice

Examine this configuration:

CDB1 is a container database.

PDB1 and PDB2 are pluggable databases in CDB1.

PDB1 and PDB2 are OPEN in READ WRITE mode.

You execute these commands successfully:

image not found or type unknown



Which two are true? (Choose two.)

Options:

- A) Uncommitted transactions in PDB1 have been rolled back.
- B) PDB1 is closed.
- C) Uncommitted transactions in CDB1 and PDB1 have been rolled back.
- D) CDB1 is shut down.
- E) CDB1 is in MOUNT state

Answer:

A, B

To Get Premium Files for 1Z0-083 Visit

<https://www.p2pexams.com/products/1z0-083>

For More Free Questions Visit

<https://www.p2pexams.com/oracle/pdf/1z0-083>

