



**Free Questions for 1Z0-083 by dumpshq**

**Shared by Giles on 12-12-2023**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

## Question 1

---

**Question Type:** MultipleChoice

---

Which two are true about the Automatic Database Diagnostic Monitor (ADDM)?

### Options:

---

- A- By default it analyzes a period of time corresponding to the last 4 hours of activity.
- B- When ADDM reports multiple findings, summing all their impacts can yield to more than 100% of DB time
- C- By default it analyzes a period of time corresponding to the last 24 hours of activity.
- D- It runs automatically after each AWR snapshot.
- E- Results are written to the alert log.

### Answer:

---

B, D

## Question 2

---

**Question Type:** MultipleChoice

---

Which two are true about Optimizer Statistics ?

**Options:**

---

- A- They can be gathered by the DBMS\_STATE package.
- B- They are ignored by Optimizer if they are stale.
- C- They are gathered by the SQL Tuning Advisor.
- D- By default, they are automatically gathered by a maintenance job.
- E- They provide real-time data about schema objects.

**Answer:**

---

A, D

## Question 3

---

**Question Type: MultipleChoice**

---

Which three are true about using Database Resource Manager in an Oracle multitenant environment?

### Options:

---

- A- PDB-level resource plans can limit uncommitted UNDO per consumer group.
- B- A PDB-level resource plan can limit session PGA memory.
- C- A CDB-level resource plan can limit PDB UNDO use.
- D- A CDB-level resource plan can limit session CPU utilization.
- E- A CDB-level resource plan is mandatory when using PDB-level resource plans.
- F- A CDB-level resource plan can limit PDB CPU utilization

### Answer:

---

B, D, F

## Question 4

---

**Question Type:** MultipleChoice

---

Which three are true about an application container?

### Options:

---

- A- It can contain a single application
- B- Two application containers can share an application seed PDB.
- C- It must have an application root PDB.
- D- An application PDB can belong to multiple application containers.
- E- It must have an application seed PDB.
- F- It can contain multiple applications.

**Answer:**

---

A, C, F

## Question 5

---

**Question Type: MultipleChoice**

---

Choose the best answer. Examine this output of an export from the current release of an Oracle multitenant database: \$ sqlplus system/oracle . SQL> col name for a10 SQL> select name, open\_mode from v\$pdb; NAME OPEN\_MODE  
-----PDB\$SEED READ ONLY PDB1 READ WRITE PDB2 MOUNTED SQL> exit Next you execute: \$ expdp system/oracle full=y What is the outcome?

### Options:

---

**A-** It fails because Data Pump cannot be container.

**B-** It creates a full export of the root

**C-** It creates a full export of the root

**D-** It creates a full export of only the used while connected to the root container and PDB1. container and all PDBs. container and all open PDBs. root container.

### Answer:

---

A

## Question 6

---

### Question Type: MultipleChoice

---

Choose three. You must migrate a non-CDB Oracle 11g Database to a CDB without first performing an upgrade to the non-CDB. User-defined objects are stored in several tablespaces in the non-CDB. Which three methods can you use?

### Options:

---

- A- Data Pump full database export and import
- B- cloning the non-CDB as a PDB
- C- replication using GoldenGate
- D- Data Pump transportable tablespaces
- E- Data Pump full transportable database
- F- the DBMS\_PDB package

**Answer:**

---

A, B, F

**To Get Premium Files for 1Z0-083 Visit**

**<https://www.p2pexams.com/products/1z0-083>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/oracle/pdf/1z0-083>**

