# Oracle 1Z0-083 Practice Questions

**Shared by Cantu on 10-11-2026**

**For More Free Questions and Preparation Resources**

Check the Links on Last Page

## Question 1

Question Type: MultipleChoice

Examine the RMAN command: RMAN> RUN { ALLOCATE CHANNEL c1 DEVICE TYPE sbt; ALLOCATE CHANNEL c2 DEVICE TYPE sbt; ALLOCATE CHANNEL c3 DEVICE TYPE sbt; BACKUP INCREMENTAL LEVEL = 0 (DATAFILE 1,4,5 CHANNEL c1) (DATAFILE 2,3,9 CHANNEL c2) (DATAFILE 6,7,8 CHANNEL c3); SQL 'ALTER SYSTEM ARCHIVE LOG CURRENT'; } Which statement is true about the command?

### Options:

A- It uses multisection backup.
B- It uses parallelization for the backup set.
C- It uses asynchronousI/O for the backup.
D- It creates compressed backup sets.

### Answer:

B

## Question 2

Question Type: MultipleChoice

Which three are true about managing memory components in an Oracle database instance? (Choose three.)

### Options:

A- With Automatic Shared Memory Management, the database instance can increase the Large Pool size by reducing the Shared Pool size.
B- With Automatic Memory Management, the database instance can increase the System Global Area size by reducing the Program Global Area size.
C- Automatically tuned and resized System Global Area components will always revert to their initial sizes after an instance restart.
D- Automatic Memory Management must be used together with locking the System Global Area into physical memory.
E- With Automatic Shared Memory Management, the database instance can increase the Program Global Area size by reducing the System Global Area size.
F- On Line Transaction Processing systems often use less Program Global Area than Decision Support Systems.

### Answer:

A, B, F

## Question 3

Question Type: MultipleChoice

Select two. Which two are true about PDB archive files?

### Options:

A- DBMS_PDB.CHECK_PLUG_COMPATIBILITY can be run against a PDB archive.
B- They contain a PDB manifest file and all the data files in uncompressed form for a PDB.
C- They contain all the data files only in uncompressed form for a PDB.
D- They must be created using the DBMS_PDB package.
E- They contain a PDB manifest file and all the data files in compressed form for a PDB.
F- They contain all the data files only in compressed form for a PDB.

### Answer:

A, E

## Question 4

Question Type: MultipleChoice

Which three are true about an application seed pluggable database (PDB)? (Choose three.)

### Options:

A- It is automatically synchronized with its application root PDB when an application is upgraded. B)It cannot be added to an application container after the application container has already been created.
B- A new application PDB created by cloning an application seed PDB can have an old version of the application installed after cloning completes.
C- It is automatically synchronized with its application root PDB when an application is installed.
D- It cannot be dropped from its application container.
E- A new application PDB created by cloning an application seed PDB can have an up-to-date version of the application installed after cloning completes.

F- It is not required in an application container.

### Answer:

C, F

## Question 5

Question Type: MultipleChoice

Choose the best answer. Examine this configuration: 1. CDB1 is a container database. 2.

COMMON_USER_PREFIX is set to an empty string. 3. PDB1 is a pluggable database in CDB1. 4. APP1_ROOT is an application container in CDB1. 5. APP1_PDB1 is an application PDB in APP1_ROOT. You execute these commands: S sqlplus sys/oracle@localhost:1521/cdb1 as sysdba SQL> CREATE ROLE role1 CONTAINER=CURRENT; Which is true?

### Options:

A- It will return an error because creation of a local role is not allowed in CDB$ROOT.
B- ROLE1 will be created only in CDB$ROOT.
C- It will return an error because common roles must start with C##.
D- ROLE1 will be created only in CDB$ROOT and APP1_ROOT.
E- ROLE1 will be created in CDB$ROOT, PDB1, APP1_ROOT, and APP1_PDB1.

### Answer:

A

## Question 6

Question Type: MultipleChoice

You notice a performance change in your production Oracle 12c database. You want to know which change caused this performance difference. Which method or feature should you use?

### Options:

A- Compare Period ADDM report
B- AWR Compare Period report
C- Active Session History (ASH) report

D- Taking a new snapshot and comparing it with a preserved snapshot.

### Answer:

B

## Question 7

Question Type: MultipleChoice

Which statement describes the significance of the CHANGE FAILURE command in RMAN? (Choose all that apply.)

### Options:

A- It is used to change failure priority only for HIGH or LOW priorities.
B- It is used to execute the advised repair script.
C- It is used to change failure priority only for the CRITICAL priority.
D- It is used to explicitly close the open failures.
E- It is used to inform the database about the repair after the repair script executes.

### Answer:

A, D

## Question 8

Question Type: MultipleChoice

Choose three. Which three are true about Rapid Home Provisioning of Oracle software?

### Options:

A- It can be used to patch existing Oracle software installations.
B- It can be used only on nodes with Oracle Grid Infrastructure installed.
C- It can be used to create a single-instance Oracle Database in an already-installed Oracle home. D)It can be used to deploy new homes without disrupting active databases.
D- It can be used to create templates of Oracle homes as gold images of only Oracle databases.
E- It can be used to upgrade only single-instance databases running on Oracle Restart.

### Answer:

A, C, D

## Question 9

Question Type: MultipleChoice

Which two are true about automatic block repair? (Choose two.)

### Options:

A- Automatic block repair can repair blocks with no standby database if DB_BLOCK_CHECKING = TRUE.
B- Real-Time Query must be enabled on a physical standby database for automatic block repair to be done on that physical standby database.
C- Real-Time Query must be enabled on a primary database for automatic block repair to be done on any of its physical standby databases.
D- It is not possible for media corrupt blocks.
E- Real-Time Query must be enabled on a physical standby database for automatic block repair to be done on its primary database.

### Answer:

D, E

## Question 10

Question Type: MultipleChoice

You upgraded your database from pre-12c to a multitenant container database (CDB) containing pluggable databases (PDBs). Examine the query and its output: Which two tasks must you perform to add users with SYSBACKUP, SYSDG, and SYSKM privilege to the password file?

### Options:

A- Assign the appropriate operating system groups to SYSBACKUP, SYSDG, SYSKM.
B- Grant SYSBACKUP, SYSDG, and SYSKM privileges to the intended users.
C- Re-create the password file with SYSBACKUP, SYSDG, and SYSKM privilege and the FORCE argument set to No.
D- Re-create the password file with SYSBACKUP, SYSDG, and SYSKM privilege, and FORCE

arguments set to Yes.
E- Re-createthepasswordfileintheOracleDatabase12cformat. Correct

## Answer:

B, D

P2P exams

P2P exams

To Get Premium Files for 1Z0-083 Visit

https://www.p2pexams.com/products/1z0-083

For More Free Questions Visit

https://www.p2pexams.com/oracle/pdf/1z0-083

