Oracle 1Z0-106 Practice Questions

Shared by Maldonado on 10-11-2026

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Which takes precedence for ssh program configuration?

Options:

A- /etc/ssh/ssh_config
B- ~/.ssh/config
C- Command line
D- /etc/ssh/sshd_config

P2P exams

Answer:

C

Question 2

Question Type: MultipleChoice

Examine this command:

useradd -m -s /bin/bash alice

Which statement is true about the account?

P2P exams

Options:

A- It is a member of the wheel group.
B- It is assigned a shell but without a password.
C- It is assigned a home directory and a password.
D- It is not assigned a home directory.

Answer:

B

Question 3

Question Type: MultipleChoice

Examine this command and output:

ausearch -k mkdir

type=SYSCALL msg=audit(1604360199.719:44733): arch=c000003e syscall=83 success=no a0=55dec0b47400 a1=lc0 a2=0 a3=0

items=2 ppid=1354 pid=284632 auid=4294967295 uid=996 gid=996 euid=998 suid=998 fsuid=998 egid=996 sgid=996 fsgid=996

tty=(none) ses=429 comm="pkla-check-auth" exe="/usr/bin/pkla-check-authorization" subj=system_u:system_r:policykit_auth_t:s0 key="mkdir"

Which command displays the syscall in text format instead of numerical format?

Options:

A- ausearch -a 83 -k mkdir
B- ausearch -I -k mkdir
C- ausearch -sc 83 -k mkdir
D- ausearch --format text -k mkdir
E- ausearch -r -k mkdir

Answer:

C

Question 4

Question Type: MultipleChoice

Which two statements are true about naming network interfaces?

Options:

A- Consistent device naming is enabled by default.
B- The udev device manager generates device names based on a series of schemes.
C- The udev device manager uses a random number if all other schemes fail.
D- Device names cannot be manually configured.
E- Device names incorporate the physical location and hot plug slot index number.

Answer:

A, B

Question 5

Question Type: MultipleChoice

Examine these commands and output:

cat /etc/auto.master

/net -hosts

/- auto.direct ro

cat /etc/auto.direct

/nfs1 host01:/export/share1

/nfs2 -sync host01:/export/share2

/nfs3 host02:/export/share3

Automounter must be used to mount these filesystems. Which mount options will it use?

Options:

A- /nfs1 and /nfs3 are mounted read-only, async while /nfs2 is mounted read-only, sync.
B- All three filesystems are mounted read-write, sync.
C- All three filesystems are mounted read-only, sync.
D- All three filesystems are mounted read-only, async.
E- /nfs1 and /nfs3 are mounted read-only, async while /nfs2 is mounted read-write, sync.

Answer:

A

Question 6

Question Type: MultipleChoice

Which two statements are true about the Oracle Linux 8 boot process?

Options:

A- The bootloader loads the initramfs file into memory and extracts the vmlinuz file into a temporary file system (tmpfs).
B- The kernel loads driver modules from vmlinuz that are required to access the root file system.
C- The bootloader loads the initramfs file into memory and extracts the vmlinuz file into the /boot file system.
D- The kernel loads driver modules from initramfs that are required to access the root file system.
E- Both the vmlinuz file and the initramfs file are located in the /boot directory.

Answer:

A, D

Question 7

Question Type: MultipleChoice

Which command produces human-readable timestamps in kernel ring buffer messages?

Options:

A- dmesg -t
B- dmesg -x
C- It understands file systems and kernel executable formats, allowing the loading of operating systems without recording the on-disk physical location of the kernel.
D- dmesg -W

Answer:

C

Question 8

Question Type: MultipleChoice

Which two actions are performed by the logrotate utility?

Options:

A- rotating log files as specified
B- encrypted log files
C- compressing log files
D- duplicating log files
E- hashing log files

Answer:

A, C

Question 9

Question Type: MultipleChoice

Which two statements are true about container technology?

Options:

A- A container application built on a bare metal system cannot run on virtual machines or cloud instances.
B- A container application is dependent on the host operating system and kernel version.
C- Containers package an application with the individual runtime stack.
D- Podman, Buildah, and Skopeo are independent tools to create, run, and manage container applications across compatible Oracle Linux systems.
E- Podman requires a running daemon to function and to enable containers to start and run without root permissions.

Answer:

C, D

Question 10

Question Type: MultipleChoice

Which two statements are true about removing a physical volume (PV) from a volume group (VG)?

Options:

A- It can be removed only after removing it from its VG by using vgreduce.

B- It can be removed when an active VG has mounted file systems by running vgexport.
C- It cannot be removed when it is part of an active VG.
D- It can be removed when an inactive logical volume is on the VG.
E- It can be removed when it is part of an active VG.

Answer:

A, C

Question 11

Question Type: MultipleChoice

Which two components are used for creating a new rsyslog rule?

Options:

A- filter
B- action
C- parser
D- module
E- security policy

Answer:

A, B

Question 12

Question Type: MultipleChoice

Examine these requirements for a host with a user oracle:

Network services must run in a confined domain.

The oracle user must be confined.

The oracle user must be able to use Mozilla Firefox.

Access to files and directories must be granted based only on SELinux contexts.

The SELinux configuration must be persistent across system restarts.

Users must be able to publish private HTML content.

Now examine these commands and output:

sestatus

SELinux status: enabled

SELinuxfs mount: /sys/fs/selinux

SELinux root directory: /etc/selinux

Loaded policy name: targeted

Current mode: permissive

Mode from config file: permissive

Policy MLS status: enabled

Policy deny_unknown status: allowed

Memory protection checking: actual (secure)

Max Kernel policy version: 31

setenforce enforcing

semanage login -a -s guest_u oracle

setsebool -P http_enable_homedirs on

Which requirements are satisfied?

Options:

A- 1, 2, 4, 5, 6
B- 1, 2, 3, 4, 5, 6
C- 1, 2, 3, 5, 6
D- 1, 2, 6
E- 1, 2, 4, 6
F- 1, 2, 3, 6

Answer:

A

Question 13

Question Type: MultipleChoice

Examine these commands, which execute successfully:

firewall-cmd --zone=public --add-service=cockpit --permanent

firewall-cmd --zone=public --add-port=1313/tcp --permanent

firewall-cmd --reload

Which are true upon execution?

Options:

A- The Cockpit service is added only to the public zone.
B- Egress traffic is allowed for the Cockpit service only when using port 1313.
C- Runtime firewall configuration is not lost when the firewalld process is restarted or the system is rebooted.
D- Port 1313 blocks all traffic for the public zone except for ingress traffic to the Cockpit service.
E- The custom Cockpit service configuration file is updated in /usr/lib/firewalld/services.

Answer:

A, C

To Get Premium Files for 1Z0-106 Visit

https://www.p2pexams.com/products/1z0-106

For More Free Questions Visit

https://www.p2pexams.com/oracle/pdf/1z0-106

