

Free Questions for 1Z0-808 by certsinside

Shared by Nicholson on 29-01-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Given the code fragment:

```
if (aVar++ < 10) {
    System.out.println(aVar + " Hello Universe!");
} else {
    System.out.println(aVar + " Hello World!");
}</pre>
```

What is the result if the integer aVar is 9?

Options:

A- Compilation fails.

B- 10 Hello Universe!

C- 10 Hello World!

D- 9 Hello World!

Answer:

В

Question 2

Question Type: MultipleChoice

Which one of the following code examples uses valid Java syntax?

```
Α.
public class Boat {
        public static void main (String [] args) {
               System.out.println ("I float.");
               }
}
в.
public class Cake {
         public static void main (String [] ) {
               System.out.println ("Chocolate");
               }
}
c.
public class Dog {
         public void main (String [] args) {
               System.out.println ("Squirrel.");
               }
}
D.
public class Bank {
         public static void main (String () args) {
               System.out.println ("Earn interest.");
               }
}
```

Options:			
A- Option A			
B- Option B			
C- Option C			
D- Option D			

Answer:

А

Explanation:

References:

Question 3

Question Type: MultipleChoice

Given the following classes:

```
public class Employee {
    public int salary;
}
public class Manager extends Employee {
    public int budget;
}
public class Director extends Manager {
    public int stockOptions;
}
```

And given the following main method:

```
public static void main(String[] args) {
    Employee employee = new Employee();
    Manager manager = new Manager();
    Director director = new Director();
    //line n1
}
```

Which two options fail to compile when placed at line n1 of the main method? (Choose two.)

Options:

A- employee.salary = 50_000;

B- director.salary = 80_000;

C- employee.budget = 200_000;

- **D-** manager.budget = 1_{000}_{000} ;
- E- manager.stockOption = 500;
- **F-** director.stockOptions = 1_000;

Answer:

C, E

Question 4

Question Type: MultipleChoice

Which two are benefits of polymorphism? (Choose two.)

Options:

- A- Faster code at runtime
- B- More efficient code at runtime
- C- More dynamic code at runtime
- D- More flexible and reusable code

E- Code that is protected from extension by other classes

Answer:		
B, D		

Question 5

Question Type: MultipleChoice

Given the following code for the classes MyException and Test:

```
public class MyException extends RuntimeException {}
public class Test {
    public static void main(String[] args) {
       try {
           method1();
       }
       catch (MyException ne) {
           System.out.print("A");
       }
    }
    public static void method1() { // line n1
        try {
           throw Math.random() > 0.5 ?new MyException() :new RuntimeException();
       }
       catch (RuntimeException re) {
           System.out.print("B");
       }
    3
}
```

What is the result?

Options:		
A- A		
B- B		
C- Either A or B		

D- A B

E- A compile time error occurs at line n1

Answer:

В

Question 6

Question Type: MultipleChoice

Given the code fragment:

```
public class Test {
    public static void main(String[] args) {
        //line n1
        switch (x) {
            case 1:
               System.out.println("One");
               break;
            case 2:
               System.out.println("Two");
               break;
        }
    }
}
```

Options:	
A- byte $x = 1$;	
B- short x = 1;	
C- String x = '1';	
D- long x = 1;	
E- double $x = 1$;	
F- Integer x = new Integer('1');	

Answer:

A, B, F

To Get Premium Files for 1Z0-808 Visit

https://www.p2pexams.com/products/1z0-808

For More Free Questions Visit

https://www.p2pexams.com/oracle/pdf/1z0-808

