



Free Questions for 1Z0-809 by certsinside

Shared by Lowery on 15-04-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Given the content:

MessagesBundle.properties file:

```
username = Enter User Name  
password = Enter Password
```

MessagesBundle_fr_FR.properties file:

```
username = Entrez le nom d'utilisateur  
password = Entrez le mot de passe
```

and the code fragment:

```
Locale currentLocale = new Locale.Builder().setRegion("FR").setLanguage("fr").build();  
ResourceBundle messages = ResourceBundle.getBundle("MessagesBundle", currentLocale);  
Enumeration<String> names = messages.getKeys();  
while (names.hasMoreElements()) {  
    String key = names.nextElement();  
    String name = messages.getString(key);  
    System.out.println(key + " = " + name);  
}
```

What is the result?

Options:

- A- username = Entrez le nom d'utilisateurpassword = Entrez le mot de passe
- B- username = Enter User Namepassword = Enter Password
- C- A compilation error occurs.
- D- The program prints nothing.

Answer:

A

Question 2

Question Type: MultipleChoice

Given:

```
class Product {
    String name;
    int qty;
    public String toString(){
        return name;
    }
    public Product(String name, int qty) {
        this.name = name;
        this.qty = qty;
    }
    static class ProductFilter {
        public boolean isAvailable(Product p) { // line n1
            return p.qty >= 10;
        }
    }
}
```

and the code fragment:

```
List<Product> products = Arrays.asList(
    new Product("MotherBoard", 5),
    new Product("Speaker", 20));
products.stream()
    .filter(Product.ProductFilter::isAvailable) // line n2
    .forEach(p -> System.out.println(p));
```

Which modification enables the code fragment to print Speaker?

Options:

- A- Implement Predicate in the Product.ProductFilter class and replace line n2 with .filter (p -> p.ProductFilter.test (p))
- B- Replace line n1 with:public static boolean isAvailable (Product p) {
- C- Replace line n2 with:.filter (p -> p.ProductFilter: :isAvailable (p))
- D- Replace line n2 with:.filter (p -> Product: :ProductFilter: :isAvailable ())

Answer:

B

Question 3

Question Type: MultipleChoice

Given:

```
class UserException extends Exception { }
```

```
class AgeOutOfLimitException extends UserException { }
```

and the code fragment:

```
class App {
```

```
public void doRegister(String name, int age)
```

```
throws UserException, AgeOutOfLimitException {  
  
    if (name.length ()  
  
        throw new UserException ();  
  
    } else if (age >= 60) {  
  
        throw new AgeOutOfLimitException ();  
  
    } else {  
  
        System.out.println("User is registered.");  
  
    }  
  
    }  
  
    public static void main(String[ ] args) throws UserException {  
  
        App t = new App ();  
  
        t.doRegister("Mathew", 60);  
  
    }  
  
    }
```

What is the result?

Options:

- A- User is registered.
- B- An AgeOutOfLimitException is thrown.
- C- A UserException is thrown.
- D- A compilation error occurs in the main method.

Answer:

B

Question 4

Question Type: MultipleChoice

Given the code fragment:

```
List colors = Arrays.asList("red", "green", "yellow");
```

```
Predicate test = n - > {
```

```
System.out.println("Searching...");
```

```
return n.contains("red");
```

```
};  
  
colors.stream()  
  
.filter(c -> c.length() > 3)  
  
.allMatch(test);
```

What is the result?

Options:

- A- Searching...
- B- Searching...Searching...
- C- Searching...Searching...Searching...
- D- A compilation error occurs.

Answer:

A

Question 5

Question Type: MultipleChoice

Given the code fragment:

```
Path path1 = Paths.get("/app/./sys/");
```

```
Path res1 = path1.resolve("log");
```

```
Path path2 = Paths.get("/server/exe/");
```

```
Path res1 = path1.resolve("/readme/");
```

```
System.out.println(res1);
```

```
System.out.println(res2);
```

What is the result?

Options:

A- /app/sys/log/readme/server/exe

B- /app/log/sys/server/exe/readme

C- /app/./sys/log/readme

D- /app/./sys/log/server/exe/readme

Answer:

C

Question 6

Question Type: MultipleChoice

Given the code fragment:

```
ZonedDateTime depart = ZonedDateTime.of(2015, 1, 15, 3, 0, 0, 0, ZoneID.of("UTC-7"));
```

```
ZonedDateTime arrive = ZonedDateTime.of(2015, 1, 15, 9, 0, 0, 0, ZoneID.of("UTC-5"));
```

```
long hrs = ChronoUnit.HOURS.between(depart, arrive); //line n1
```

```
System.out.println("Travel time is" + hrs + "hours");
```

What is the result?

Options:

A- Travel time is 4 hours

- B- Travel time is 6 hours
- C- Travel time is 8 hours
- D- An exception is thrown at line n1.

Answer:

A

Question 7

Question Type: MultipleChoice

Given:

Book.java:

```
public class Book {  
  
    private String read(String bname) { return "Read" + bname }  
  
}
```

EBook.java:

```
public class EBook extends Book {
```

```
public class String read (String url) { return "View" + url }  
}
```

Test.java:

```
public class Test {  
  
public static void main (String[] args) {  
  
Book b1 = new Book();  
  
b1.read("Java Programing");  
  
Book b2 = new EBook();  
  
b2.read("http://ebook.com/ebook");  
  
}  
  
}
```

What is the result?

Options:

A- Read Java ProgrammingView http:/ ebook.com/ebook

B- Read Java ProgrammingRead [http:// ebook.com/ebook](http://ebook.com/ebook)

C- The EBook.java file fails to compile.

D- The Test.java file fails to compile.

Answer:

D

Question 8

Question Type: MultipleChoice

Given the code fragment:

```
public static void main (String[] args) throws IOException {
```

```
    BufferedReader brCopy = null;
```

```
    try (BufferedReader br = new BufferedReader (new FileReader("employee.txt"))) { //
```

```
        line n1
```

```
        br.lines().forEach(c -> System.out.println(c));
```

```
    } brCopy = br;//line n2
```

```
}  
  
brCopy.ready(); //line n3;  
  
}
```

Assume that the ready method of the BufferedReader, when called on a closed BufferedReader, throws an exception, and employee.txt is accessible and contains valid text.

What is the result?

Options:

- A-** A compilation error occurs at line n3.
- B-** A compilation error occurs at line n1.
- C-** A compilation error occurs at line n2.
- D-** The code prints the content of the employee.txt file and throws an exception at line n3.

Answer:

D

To Get Premium Files for 1Z0-809 Visit

<https://www.p2pexams.com/products/1z0-809>

For More Free Questions Visit

<https://www.p2pexams.com/oracle/pdf/1z0-809>

