Oracle 1Z0-822 Practice Questions

Shared by Caldwell on 10-11-2026

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Consider the following ZFS configuration:



```
NAME                    USED  AVAIL  REFER  MOUNTPOINT
rpool/export            436M  9.21G  284M   /export
rpool/export/home       152M  9.21G  35K    /export/home
rpool/export/home/curly  35K  9.21G  35K    /export/home/curly
```

You have created snapshots of the homo directories which are as follows:



```
NAME                                  USED  AVAIL  REFER  MOUNTPOINT
rpool/export/home@11.28.12               0      -    32K  -
rpool/export/home/curly@11.28.12         0      -   802K  -
```

You have another storage pool named bpool on the same system. You use the following command to store the snapshots in this pool:

zfs send rpool/export/home@11.28.12 | zfs recv --f bpool@11.28.12

What will be created in the pool bpool as a result of this operation?

Options:

A- bpool/export/home/
bpool/export/home/curly
B- bpool/export/home/
bpool/export/home/curly
bpool/export/home@12.25.11
C- bpool/export/home/
bpool/export/home/curly
bpool@12.25.11
D- bpool/curly
bpool/curly@12.25.11
E- bpool/curly
F- bpool/curly
bpool@12.25.11

Answer:

A

Question 2

Question Type: MultipleChoice

Which two statements regarding the pkg command are correct?

Options:

A- It requires HTTP to connect to a remote repository.
B- It uses the set-publisher subcommand to remove an origin.
C- It cannot point to both sticky and nonsticky publishers in the same repository.
D- It uses the unset-publisher subcommand to remove publishers.
E- It uses the set-publisher subcommand to remove publishers.

Answer:

A, D

Question 3

Question Type: MultipleChoice

Which is the result of the following command?

zfs send --i dpool/sales/qrreports@qtrreport dpool/sales/qrreports@mth3qtrreport

Options:

A- An error message will be sent to standard error.
B- The dpool/sales/qrreports@qtrreport snapshot is saved to disk.
C- The dpool/sales/qrreports@mth3qtrreport snapshot is saved to disk
D- The difference between the First snapshot and the second snapshot will be written to disk

Answer:

B

Question 4

Question Type: MultipleChoice

Identify two acceptable values for a element in a service manifest.

Options:

A- require_all
B- optional_all
C- optional_any
D- restart_on
E- none

Answer:

B, D

Question 5

Question Type: MultipleChoice

Your organization uses NFS to share data from Oracle Solaris servers to Oracle Solaris clients. For the nfsmapid daemon to work properly the client and server must be on the same domain. Select the location that has the highest precedence when the nfsmapid daemon searches for a domain name.

Options:

A- the nfsmapid_domain parameter in the mapid SMF service.
B- the nfsmapid_domain parameter in the /etc/default/nfs file
C- the domain name in the /etc/default/domainname file, if it exists.
D- a_nfsv4idmapdomain TXT record found by the configured domain name servers

Answer:

C

Question 6

Question Type: MultipleChoice

You need to create a virtual network with two zones, one with a web server and the other with an application server that the web server calls. You decide to create a virtual switch and virtual network interface cards (VNICs) for the zones. Select the command that will create the virtual switch.

Options:

A- dladm create-etherswitch stub0
B- dladm create-vnic --l net1 vnic1
C- dladm create-stub --l vnic0 stub0
D- dladm create-vnic --l stub0 vnic1

Answer:

B

Question 7

Question Type: MultipleChoice

To reduce the use at storage space on your server, you want to eliminate duplicate copies of data in your server's ZFS file systems. How do you specify that pool1/data should not contain duplicate data blocks on write operations?

Options:

A- zfs create --o compression=on pool1/data
B- zpool create --o deduplication=on pool1 ; zfs create pool1/data
C- zpool create --o dedupratio=on pool1 ; zfs create pool1/data
D- zfs create --o dedupratio=2 pool1/data
E- zfs create --o dedup=on pool1/data

Answer:

E

Question 8

Question Type: MultipleChoice

Can you change the scheduling class of a zone's processes to FSS without rebooting?

Options:

A- No. Set the zone's scheduling-class attribute to FSS and reboot.
B- No. Run dispadmin --d FSS inside the zone, then reboot.

C- No. Run dispadmin --d FSS in the global zone, then reboot the nonglobal zone.
D- Yes. Run dispadmin --d FSS inside the zone.
E- Yes. Run priocntl --s --c FSS --i all inside the zone.

Answer:

E

Question 9

Question Type: MultipleChoice

The zpool configuration on serverA is:

pool 1

c3t2d0

c3t3d0

pool 2

c3t4d0

c3t5d0

The zpool configuration on servetB is:

pool1

mirror-0

c3t2d0

c3t3d0

mirror-1

c3t4d0

c3t5d0

Which option will modify the configuration on serverA to match serverB?

Options:

A- zpool destroy pool2
zpool attach pool1 c3t4d0 c3t5d0

B- zpool destroy pool2
zpool attach pool1 c3t2d0 c3t2d0 c3t4d0 c3t5d0
C- zpool destroy pool2
zpool add pool1 c3t4d0 c3t5d0
D- zpool destroy pool2
zpool mirror pool1 pool2
E- zpool destroy pool2
zpool attach pool1 c3t2d0 attach pool1 c3t3d0
zpool attach pool1 c3t4d0 attach pool1 c3t5d0
F- zpool destroy pool1
zpool destroy pool2
zpool destroy pool1 mirror c3t2d0 c3t3d0 c3t4d0 c3t5d0

Answer:

F

To Get Premium Files for 1Z0-822 Visit

https://www.p2pexams.com/products/1z0-822

For More Free Questions Visit

https://www.p2pexams.com/oracle/pdf/1z0-822

