



## RedHat EX200 Mock Exam

Shared by Roach on 17-06-2026

**For More Free Questions and Preparation Resources**

Check the Links on Last Page



## Question 1

---

Question Type: MultipleChoice

---

One Package named zsh is dump on ftp://server1.example.com under /pub/updates directory and your FTP server is 192.168.0.254. Install the package zsh.

Options:

---

A- see explanation below

Answer:

---

A

Explanation:

---

`rpm -ivh ftp://server1/example.com/pub/updates/zsh-*`

or

Login to ftp server : `ftp ftp://server1.example.com` using anonymous user.

Change the directory: `cd pub` and `cd updates`

Download the package: `mget zsh-*`

Quit from the ftp prompt : `bye`

Install the package

`rpm -ivh zsh-*`

Verify either package is installed or not : `rpm -q zsh`

## Question 2

---

Question Type: MultipleChoice

---

Set cronjob for user natasha to do `/bin/echo hiya` at 14:23.

---

**Options:****A- Explanation:**

```
# crontab -e -u natasha
23 14 * * * /bin/echo hiya
wq!
```

---

**Answer:**

A

---

**Question 3****Question Type:** MultipleChoice

Create a user alex with a userid of 3400. The password for this user should be redhat.

---

**Options:****A- Explanation:**

```
useradd -u 3400 alex
passwd alex
su -alex
```

---

**Answer:**

A

---

**Question 4****Question Type:** MultipleChoice

Some users home directory is shared from your system. Using showmount -e localhost command, the shared directory is not shown. Make access the shared users home directory.

---

**Options:****A- Explanation:**

```
Verify the File whether Shared or not ? : cat /etc/exports
Start the nfs service: service nfs start
```

Start the portmap service: `service portmap start`  
 Make automatically start the nfs service on next reboot: `chkconfig nfs on`  
 Make automatically start the portmap service on next reboot: `chkconfig portmap on`  
 Verify either sharing or not: `showmount -e localhost`  
 Check that default firewall is running on system?  
 If running flush the iptables using `iptables -F` and stop the iptables service.

Answer:

---

A

## Question 5

Question Type: MultipleChoice

One Logical Volume named lv1 is created under vg0. The Initial Size of that Logical Volume is 100MB. Now you required the size 500MB. Make successfully the size of that Logical Volume 500M without losing any dat

a. As well as size should be increased online.

Options:

---

A- Explanation:

The LVM system organizes hard disks into Logical Volume (LV) groups. Essentially, physical hard disk partitions (or possibly RAID arrays) are set up in a bunch of equal sized chunks known as Physical Extents (PE). As there are several other concepts associated with the LVM system, let's start with some basic definitions:

Physical Volume (PV) is the standard partition that you add to the LVM mix. Normally, a physical volume is a standard primary or logical partition. It can also be a RAID array.

Physical Extent (PE) is a chunk of disk space. Every PV is divided into a number of equal sized PEs. Every PE in a LV group is the same size. Different LV groups can have different sized PEs.

Logical Extent (LE) is also a chunk of disk space. Every LE is mapped to a specific PE.

Logical Volume (LV) is composed of a group of LEs. You can mount a file system such as /home and /var on an LV.

Volume Group (VG) is composed of a group of LVs. It is the organizational group for LVM. Most of the commands that you'll use apply to a specific VG.

Verify the size of Logical Volume: `lvs /dev/vg0/lv1`

Verify the Size on mounted directory: `df -h` or `df -h mounted directory name`

Use: `lvextend -L+400M /dev/vg0/lv1`

`ext2online -d /dev/vg0/lv1` to bring extended size online.

Again Verify using `lvs` and `df -h` command.

Answer:

---

A

## Question 6

---

Question Type: MultipleChoice

---

Configure your system so that it is an NTP client of server.domain11.example.com

Options:

---

A- Explanation:

#system-config-date

Note: dialog box will open in that

Check mark Synchronize date and time over network. Remove all the NTP SERVER and click ADD and type

server.domain11.example.com

\*\*\*\*\*And then press ENTER and the press OK\*\*\*\*\*

Answer:

---

A

## Question 7

---

Question Type: MultipleChoice

---

Download ftp://192.168.0.254/pub/boot.iso to /root, and mounted automatically under /media/cdrom and which take effect automatically at boot-start.

Options:

---

A- Explanation:

# cd /root; wget ftp://192.168.0.254/pub/boot.iso

# mkdir -p /media/cdrom

# vim /etc/fstab

/root/boot.iso /media/cdrom iso9660 defaults,loop 0 0

# mount -a

mount [-t vfstype] [-o options] device dir

Answer:

A



To Get Premium Files for EX200 Visit

<https://www.p2pexams.com/products/ex200>

For More Free Questions Visit

<https://www.p2pexams.com/redhat/pdf/ex200>

**20%**  
**DISCOUNT**

**P2P**  
exams