

# Free Questions for B2C-Commerce-Developer by certsinside

**Shared by Dyer on 15-04-2024** 

For More Free Questions and Preparation Resources

**Check the Links on Last Page** 

#### **Question Type:** MultipleChoice

A developer is tasked with the development of anew Page Designer Page Type, as requested by the merchant.

How should they define the rendering logic of the page?

### **Options:**

- A- Implement a JavaScript file with a render () function.
- B- Implement a metadata JSON file with a "render" property.
- **C-** Implement a Controller file with a "render" route.

#### **Answer:**

Α

# **Question 2**

Given the requirements:
-------------------------

To show the washing Instructions for a clothing product on a dedicated section the detail page

Washing instructions come from the product Information manager (PIM)

To have this attribute available to localize in the Storefront

Which action must these requirements?

### **Options:**

A- Create a custom attribute on the product system object and set it as localizable.

B- Add a resource file for every locale for which the attribute needs to be translated.

**C-** set the product system object type as localizable.

#### **Answer:**

Α

# **Question 3**

Given the sandbox with:

Service configured and assigned to its profile and credential

A code version that uses that service

And given the requirement to limit the number of success or error calls the code can perform to a restricted number of calls per second.

Which configuration should the developer perform?

#### **Options:**

- A- Set the service as limited and change the services profile site preferences with the required values.
- B- Set the rate limiter in the service profile and configure its values with the ones required.
- C- Set a new quota limit for the service profile and assign the service to it.

#### **Answer:**

В

# **Question 4**

A merchant uploads an image using the Content Image Upload module of Business Manager.

Which three modules can the merchant or developer use to display the image on the Storefront?

Choose 3 answers

### **Options:**

- A- ISML templates
- **B-** Content assets
- **C-** Storefront catalogs
- **D-** Content slots
- E- Payment types

#### **Answer:**

B, C, D

# **Question 5**

Given the SFRA Controller below:

```
var server = require('server');
var cache = require('*/cartridge/scripts/middleware/cache');

server.get('Show', cache.applyDefaultCache, function (req, res, next) {
    viewData = {name: 'my string'};
    res.render('/pages/mypage', viewData);
    next();
};

module.exports = server.exports();
```

Why would a JavaScript debugger, that is stopped at line 06, fall to show the viewdata variable in the inspection tool?

### **Options:**

A- cache. applyDefaultCache is not a valid middleware.

B- viewdata is declared but not assigned.

C- viewdata is assigned but not declared.

D- viewdata is a B2C Script reserved name.

#### **Answer:**

C

#### **Question Type:** MultipleChoice

In Log Center, a developer notes a number of Cross Site Request Forgery (CSRF) log entries. The developer knows that this happens when a CSRF token is either not found or is invalid, and is working to remedy the situation as soon as possible.

Which two courses of action might solve the problem?

Choose 2 answers

### **Options:**

- A- Add the token in the ISML template.
- **B-** Extend the CSRF token validity to avoid timeouts.
- **C-** Delete the existing CSRF whitelists in Business Manager.
- D- Add csrfProtection.generateToken as a middleware step in the controller.

#### **Answer:**

B, C

#### **Question Type:** MultipleChoice

A client has a requirement to render different content on the homepage based on if the customer is logged in or guest user.

What should a developer implement to achieve this requirement?

### **Options:**

- A- Write specific custom code in the Content Asset for a customer that is a registered, versus unregistered, user.
- B- Set the Content Slot configuration so it is based on the system customer group registered, versus unregistered.
- C- Set the Content Asset configuration for a customer that is a registered, versus unregistered, user.
- D- Add specific custom messages in Page Designer for a customer that is a registered, versus unregistered, user.

#### **Answer:**

В

#### **Question Type:** MultipleChoice

The Home-Show route uses this middleware chain:

```
server.get('Show', consentTracking.consent, cache.applyDefaultCache, function (req, res, next) {
    // base code here
});
```

The developer added Home.;s in another cartridge, which is before the original cartridge in the cartridge path, to extend that route but it does not have the middleware chain:

```
server.append('Show', function (req, res, next) {
    // custom code here
});
```

Assuming the code is correct on both functions, what is the expected result?

#### **Options:**

- A- A RunTime error is thrown, 'Error: Params do not match route'.
- B- The base code executes and then the custom code executes.

- C- The custom code executes and then the base code executes.
- D- The base code executes, but the custom code is ignored because the signature lines do not match.

#### **Answer:**

Α

# **Question 9**

### **Question Type:** MultipleChoice

A merchant is selling a new product line of televisions. In order to deliver a good customer experience, the merchandising team wants the screen size to be incorporated into the search and navigation journey.

Which two things can the developer do to facilitate this for them?

Choose 2 answers

### **Options:**

A- Create a new search refinement for a Boolean value true or false and label it 'big screen.'

- B- Define a new searchable attribute for Screen Size.
- **C-** Configure catalog-level search refinement definition for Screen Size.
- **D-** Configure Screen Size threshold search refinement bucket definitions.

### **Answer:**

B, C

# To Get Premium Files for B2C-Commerce-Developer Visit

https://www.p2pexams.com/products/b2c-commerce-developer

# **For More Free Questions Visit**

https://www.p2pexams.com/salesforce/pdf/b2c-commerce-developer

