

Free Questions for Tableau-CRM-Einstein-Discovery-Consultant by actualtestdumps

Shared by Patel on 06-06-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question Type: MultipleChoice

A customer displays a lot of data and wants a way to dynamically emphasize certain values on a bar chart in order to properly grab the user's attention.

What can an Einstein Consultant use to accomplish this task?

Options:

A- Customize tooltip			
B- Chart Markers			
C- XMD			
D- Compare Table			

ISWer:	

Explanation:

Question Type: MultipleChoice

Which of these is not a method for controlling record-level access?

Options:

A- Profiles

B- Sharing Rules

C- Organization-Wide Defaults

D- Role Hierarchy

Answer:

А

Explanation:

https://help.salesforce.com/articleView?id=bi_security_datasets_row_level.htm

https://help.salesforce.com/articleView?id=managing_the_sharing_model.htm&type=5

Question 3

Question Type: MultipleChoice

What's a good way to see which required questions in the configuration wizard don't have default values?

Options:

- A- Answer only questions that involve custom objects
- B- Try each option in the dropdown one at a time
- C- Download the app and run a SAQL query on the JSON
- D- Click 'Looks good, next' and look for questions highlighted in red

Answer:

Question Type: MultipleChoice

How can you restrict access to Analytics data at the row level?

Options:

- A- Manually add a flag to each row to prevent access.
- B- Use a security predicate to filter which rows are returned.
- **C-** Use subtle thought control.
- D- Remove restricted rows from the JSON file.

Answer:

В

Explanation:

Predicate is a name for a filter condition that defines row-level access to records in a dataset Example: 'rowLevelSecurityFilter':"AccountOwner' == \'\$User.Name\"

Question 5

Question Type: MultipleChoice

A Tableau CRM consultant decides to use a recipe to create a new dataset.

Which two source types can be used for the recipe?

Choose 2 answers

Options:

A- Existing datasets

- B- Records from a Salesforce object
- C- Dataset lens
- **D-** Connected data(Synced)

Question Type: MultipleChoice

The Tableau CRM team at a company has created three dataflows.

myDataflowOne: this dataflow tasks 2 hours to run.

myDataflowOne: this dataflow tasks 1 hours and 30 minutes to run

myDataflowOne: this dataflow tasks 1 minute and 30 seconds to run.

If all three dataflows run, how many count towards the limit?

Options:	
A- 3	
B- 0	
C- 1	

Answer:

А

Question 7

Question Type: MultipleChoice

Universal Containers (UC) is a multinational company that utilizes Salesforce and has a variety of internal systems. UC uses Einstein Analytics for their data analysis platform and they want to automate their weekly manual process to create a dataset from their onpremise data warehouse. Which solution should a consultant recommend to meet this requirement?

Options:

- A- Utilize a Salesforce weekly export feature
- B- Utilize Analytics Connector.
- C- Utilize middleware with Analytics External Data API
- D- Utilize a dataflow

С

Question 8

Question Type: MultipleChoice

Maximum concurrent API Analytics calls per org

Options:			
A- 200			
B- 500			
C- 100			
D- 50			
Answer:			

С

Question Type: MultipleChoice

What are the two types of bindings? Choose 2:

Options:

A- Results binding

- B- Data bindings
- C- Description bindings
- **D-** Selections bindings

Answer:

A, D

To Get Premium Files for Tableau-CRM-Einstein-Discovery-Consultant Visit

https://www.p2pexams.com/products/tableau-crm-einstein-discovery-consultant

For More Free Questions Visit

https://www.p2pexams.com/salesforce/pdf/tableau-crm-einstein-discovery-consultant

