



**Free Questions for CRT-600 by actualtestdumps**

**Shared by Calderon on 18-01-2024**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

# Question 1

---

## Question Type: MultipleChoice

---

A developer creates a simple webpage with an input field. When a user enters text in the input field and clicks the button, the actual value of the field must be displayed in the console.

Here is the HTML file content:

```
&lt;input type = " text" value = "Hello" name = "input" &gt;  
&lt;button type = "button" &gt;Display &lt;/button&gt;
```

The developer wrote the javascript code below:

```
Const button = document.querySelector('button');  
button.addEventListener('click', () =&gt; {  
  Const input = document.querySelector('input');  
  console.log(input.getAttribute('value'));
```

When the user clicks the button, the output is always "Hello".

What needs to be done make this code work as expected?

**Options:**

---

- A) Replace line 04 with `console.log(input .value);`
- B) Replace line 03 with `const input = document.getElementById('input');`
- C) Replace line 02 with `button.addEventListener("onclick", function() {`
- D) Replace line 02 with `button.addCallback("click", function() {`

**Answer:**

---

A

## Question 2

---

**Question Type: MultipleChoice**

---

Given code below:

```
setTimeout (() =&gt; {
```

```
  console.log(1);
```

```
    ). 0);  
  
    console.log(2);  
  
    New Promise ((resolve, reject ) = &gt; ( &gt;  
  
    setTimeout(() =&gt; ( &gt;  
  
    reject(console.log(3));  
  
    ). 1000);  
  
    ).catch(() =&gt; ( &gt;  
  
    console.log(4);  
  
    ));  
  
    console.log(5);
```

What is logged to the console?

### Options:

---

**A)** 2 1 4 3 5

**B)** 2 5 1 3 4

C) 1 2 4 3 5

D) 1 2 5 3 4

**Answer:**

---

B

## Question 3

---

**Question Type:** MultipleChoice

---

A developer wants to iterate through an array of objects and count the objects and count the objects whose property value, name, starts with the letter N.

```
Const arrObj = [{"name" : "Zach"} , {"name" : "Kate"}, {"name" : "Alise"}, {"name" : "Bob"}, {"name" : "Natham"}, {"name" : "nathaniel"}]
```

Refer to the code snippet below:

```
01 arrObj.reduce(( acc, curr) => {
```

```
02 //missing line 02
```

02 //missing line 03

04 ). 0);

Which missing lines 02 and 03 return the correct count?

### Options:

---

**A)** Const sum = curr.startsWith('N') ? 1: 0;

Return acc +sum

**B)** Const sum = curr.name.startsWith('N') ? 1: 0;

Return acc +sum

**C)** Const sum = curr.startsWlth('N') ? 1: 0;

Return curr+ sum

**D)** Const sum = curr.name.startsWlth('N') ? 1: 0;

Return curr+ sum

### Answer:

---

B

## Question 4

---

**Question Type: MultipleChoice**

---

Given the code below:

```
01 function GameConsole (name) {  
02   this.name = name;  
03 }  
04  
05 GameConsole.prototype.load = function(gamename) {  
06   console.log(` ${this.name} is loading a game : ${gamename} ...`);  
07 )  
08 function Console 16 Bit (name) {  
09   GameConsole.call(this, name) ;  
10 }  
11 Console16bit.prototype = Object.create ( GameConsole.prototype) ;  
12 //insert code here  
13 console.log(` ${this.name} is loading a cartridge game : ${gamename} ...`);
```

```
14 }
```

```
15 const console16bit = new Console16bit(' SNEGeneziz ');
```

```
16 console16bit.load(' Super Nonic 3x Force ');
```

What should a developer insert at line 15 to output the following message using the method ?

&gt; SNEGeneziz is loading a cartridge game: Super Monic 3x Force . . .

### Options:

---

- A) `Console16bit.prototype.load(gamename) = function() {`
- B) `Console16bit.prototype.load = function(gamename) {`
- C) `Console16bit = Object.create(GameConsole.prototype).load = function(gamename) {`
- D) `Console16bit.prototype.load(gamename) {`

### Answer:

---

B



## Question 5

---

### Question Type: MultipleChoice

---

Given the JavaScript below:

```
01 function filterDOM (searchString) {  
02   const parsedSearchString = searchString &&&& searchString.toLowerCase() ;  
03   document.quesrySelectorAll( '.account' ) . forEach(account =&&&& (   
04     const accountName = account.innerHTML.toLowerCase();  
05     account. Style.display = accountName.includes(parsedSearchString) ? /*Insert  
code*/;  
06   });  
07 }
```

Which code should replace the placeholder comment on line 05 to hide accounts that do not match the search string?

### Options:

---

- A) ' name ' : ' block '
- B) ' Block ' : ' none '
- C) ' visible ' : ' hidden '
- D) ' hidden ' : ' visible '

### Answer:

---

B

## Question 6

---

### Question Type: MultipleChoice

---

Refer to the code below:

```
01 const exec = (item, delay) =&gt;{  
02 new Promise(resolve =&gt; setTimeout( () =&gt; resolve(item), delay)),  
03 async function runParallel() {  
04 Const (result1, result2, result3) = await Promise.all{
```

```
05 [exec('x', '100') , exec('y', 500), exec('z', '100')]  
06 );  
07 return `parallel is done: ${result1} ${result2}${result3}`;  
08 }}}
```

Which two statements correctly execute the runParallel () function?

Choose 2 answers

### Options:

---

- A)** Async runParallel () .then(data);
- B)** runParallel ( ). done(function(data){  
return data;  
});
- C)** runParallel () .then(data);
- D)** runParallel () .then(function(data)  
return data

### Answer:

---

B, D



**To Get Premium Files for CRT-600 Visit**

**<https://www.p2pexams.com/products/crt-600>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/salesforce/pdf/crt-600>**

