



Free Questions for CRT-600 by [braindumpscollection](#)

Shared by [Ochoa](#) on [29-01-2024](#)

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

Given the code below:

```
01 function Person(name, email) {  
02   this.name = name;  
03   this.email = email;  
04 }  
05  
06 const john = new Person('John', 'john@email.com');  
07 const jane = new Person('Jane', 'jane@email.com');  
08 const emily = new Person('Emily', 'emily@email.com');  
09  
10 let usersList = [john, jane, emily];
```

Which method can be used to provide a visual representation of the list of users and to allow sorting by the name or email attribute?

Options:

A- console.group(usersList) ;

B- console.table(usersList) ;

C- console.info(usersList) ;

D- console.groupCollapsed (usersList) ;

Answer:

A

Question 2

Question Type: MultipleChoice

Refer to the code below:

```
01 let total = 10;
02 const interval = setInterval(() => {
03   total++;
04   clearInterval(interval);
05   total++;
06 }, 0);
07 total++;
08 console.log(total);
```

Considering that JavaScript is single-threaded, what is the output of line 08 after the code executes?

Options:

A- 10

B- 11

C- 12

D- 13

Answer:

B

Question 3

Question Type: MultipleChoice

Refer to the following code block:

```
01 class Student {
02   constructor(name) {
03     this.name = name;
04   }
05
06   takeTest() {
07     console.log(`${this.name} got 70% on test.`);
08   }
09 }
10
11 class BetterStudent extends Student {
12   constructor(name) {
13     super(name);
14     this.name = 'Better student ' + name;
15   }
16   takeTest() {
17     console.log(`${this.name} got 100% on test.`);
18   }
19 }
20
21 let student = new BetterStudent('Jackie');
22 student.takeTest();
```

What is the console output?

Options:

A- > Better student Jackie got 70% on test.

B- > Jackie got 70% on test.

C- > Uncaught Reference Error

D- > Better student Jackie got 100% on test.

Answer:

D

Question 4

Question Type: MultipleChoice

Which statement can a developer apply to increment the browser's navigation history without a page refresh?

Which statement can a developer apply to increment the browser's navigation history without a page refresh?

Options:

- A- `window.history.pushState(newStateObject);`
- B- `window.history.pushStare(newStateObject, ' ', null);`
- C- `window.history.replaceState(newStateObject,' ', null);`
- D- `window.history.state.push(newStateObject);`

Answer:

C

Question 5

Question Type: MultipleChoice

Considering the implications of 'use strict' on line 04, which three statements describe the execution of the code?

Choose 3 answers

Options:

A- z is equal to 3.14.

- B-** 'use strict' is hoisted, so it has an effect on all lines.
- C-** 'use strict' has an effect only on line 05.
- D-** 'use strict' has an effect between line 04 and the end of the file.
- E-** Line 05 throws an error.

Answer:

A, C, E

Question 6

Question Type: MultipleChoice

Refer to the following code:


```
01 let obj = {
02   foo: 1,
03   bar: 2
04 }
05 let output = [];
06
07 for (let something in obj) {
08   output.push(something);
09 }
10
11 console.log(output);
```

What is the output of line 11?

Options:

- A- [1,2]
- B- ['bar', 'foo']
- C- ['foo:1', 'bar:2']
- D- ['foo', 'bar']

Answer:

D

Question 7

Question Type: MultipleChoice

myArraym can have one level, two levels, or more levels.

Which statement flattens myArray when it can be arbitrarily nested?

Options:

A- `myArray.reduce ((prev, curr) => prev.concat(curr) []);`

B- `myArray.join (','). split (',');`

C- `[] .concat { . . myArray } ;`

D- `myArray.flat(Infinity);`

Answer:

A

To Get Premium Files for CRT-600 Visit

<https://www.p2pexams.com/products/crt-600>

For More Free Questions Visit

<https://www.p2pexams.com/salesforce/pdf/crt-600>

