



Free Questions for AZ-104

Shared by Terry on 04-10-2024

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)



Question 1

Question Type: Hotspot

Case Study: Mix Questions

Mix Questions

AZ-104 Mix Questions IN THIS CASE STUDY

You have an Azure Storage account named storage1.

You have Azure App Service apps named App1 and App2 that run in an Azure container instance. Each app uses a managed identity.

You need to ensure that App1 and App2 can read blobs from storage1. The solution must meet the following requirements:

- * Minimize the number of secrets used.
- * Ensure that App2 can only read from storage1 for the next 30 days.

What should you configure in storage1 for each app? To answer, select the appropriate options in the answer area

a. NOTE: Each correct selection is worth one point

Answer Area

App1: Access keys
Access keys
Advanced security
Access control (IAM)
Shared access signatures (SAS)

App2: Shared access signatures (SAS)
Access keys
Advanced security
Access control (IAM)
Shared access signatures (SAS)

Answer:

See the Answer in the Premium Version!

Question 2

Question Type: MultipleChoice

Case Study: Mix Questions

Mix Questions

AZ-104 Mix Questions IN THIS CASE STUDY

You plan to create an Azure Storage account named storage1 that will contain a file share named share1.

You need to ensure that share1 can support SMB Multichannel. The solution must minimize costs.

How should you configure storage1?

Options:

- A- Standard performance with locally-redundant storage (LRS)
- B- Premium performance with locally-redundant storage (LRS)
- C- Standard performance with zone-redundant storage (ZRS)

Answer:

A

Question 3

Question Type: Hotspot

Case Study: Mix Questions

Mix Questions

AZ-104 Mix Questions IN THIS CASE STUDY

You have an Azure Storage account named storage1 that contains a blob container. The blob container has a default access tier of Hot. Storage1 contains a container named container1.

You create lifecycle management rules in storage1 as shown in the following table.

Name	Rule scope	Blob type	Blob subtype	Rule block	Prefix match
Rule1	Limit blobs by using filters.	Block blobs	Base blobs	If base blobs were not modified for two days, move to archive storage. If base blobs were not modified for nine days, delete the blob.	container1/Dep1
Rule2	Apply to all blobs in storage1.	Block blobs	Base blobs	If base blobs were not modified for three days, move to cool storage. If base blobs were not modified for nine days, move to archive storage.	<i>Not applicable</i>

You perform the actions shown in the following table.

Date	Action
October 1	Upload three files named Dep1File1.docx, File2.docx, and File3.docx to container1.
October 2	Edit Dep1File1.docx and File3.docx.
October 5	Edit File2.docx.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
On October 10, you can read Dep1File1.docx without a delay.	☐	☐
On October 10, you can read File2.docx without a delay.	☐	☐
On October 10, you can read File3.docx without a delay.	☐	☐

Answer:

See the Answer in the Premium Version!

Question 4

Question Type: Hotspot

Case Study: Mix Questions

Mix Questions

AZ-104 Mix Questions IN THIS CASE STUDY

You have an Azure subscription that contains a user named User1 and a storage account named storage 1. The storage1 account contains the resources shown in the following table.

Name	Type
container1	Container
folder1	File share
Table1	Table

User1 is assigned the following roles for storage 1:

- * Storage Blob Data Reader
- * Storage Table Data Contributor
- * Storage File Data SMB Share Contributor

For storage1, you create a shared access signature (SAS) named SAS1 that has the settings shown in the following exhibit. (Click the Exhibit tab.)

Allowed services ⓘ

☐ Blob ☐ File ☐ Queue ☒ Table

Allowed resource types ⓘ

☒ Service ☒ Container ☒ Object

Allowed permissions ⓘ

☒ Read ☒ Write ☒ Delete ☒ List ☒ Add ☒ Create ☒ Update ☐ Process

☐ Immutable storage

Blob versioning permissions ⓘ

☐ Enables deletion of versions

Allowed blob index permissions ⓘ

☐ Read/Write ☐ Filter

Start and expiry date/time ⓘ

Start

End

Allowed IP addresses ⓘ

Allowed protocols ⓘ

☒ HTTPS only ☐ HTTPS and HTTP

Preferred routing tier ⓘ

☒ Basic (default) ☐ Microsoft network routing ☐ Internet routing

Some routing options are disabled because the endpoints are not published.

Signing key ⓘ

Generate SAS and connection string

To which resources can User1 write by using SAS1 and key1? To answer, select the appropriate options in the answer area.

Answer Area

key1:

SAS1:

Answer:

See the Answer in the Premium Version!

Question 5

Question Type: Hotspot

Case Study: Mix Questions

Mix Questions

AZ-104 Mix Questions IN THIS CASE STUDY

You have an Azure subscription named Subscription! that contains the resources shown in the following table.

Name	Type	Region	Resource group
RG1	Resource group	West US	Not applicable
RG2	Resource group	West US	Not applicable
Vault1	Recovery Services vault	Central US	RG1
Vault2	Recovery Services vault	West US	RG2
VM1	Virtual machine	Central US	RG2
storage1	Storage account	West US	RG1
SQL1	Azure SQL database	East US	RG2

In storage1, you create a blob container named blob1 and a file share named share1.

Which resources can be backed up to Vault1 and Vault2? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Can use Vault1 for backups:

- VM1 only
- VM1 only**
- VM1 and share1 only
- VM1 and SQL1 only
- VM1, storage1, and SQL1 only
- VM1, blob1, share1, and SQL1

Can use Vault2 for backups:

- share1 only
- storage1 only
- share1 only**
- VM1 and share1 only
- blob1 and share1 only
- storage1 and SQL1 only

Answer:

See the Answer in the Premium Version!

Question 6

Question Type: Hotspot

Case Study: Mix Questions

Mix Questions

AZ-104 Mix Questions IN THIS CASE STUDY


You have an Azure subscription that contains an Azure Storage account.

You plan to copy an on-premises virtual machine image to a container named vmimages.

You need to create the container for the planned image.

Which command should you run? To answer, select the appropriate options in the answer area.

NOTE Each correct selection is worth one point.

Answer Area

Answer:

See the Answer in the Premium Version!

Question 7

Question Type: MultipleChoice

Case Study: Mix Questions

Mix Questions

AZ-104 Mix Questions IN THIS CASE STUDY

You have an Azure subscription that contains the virtual networks shown in the following table.

You need to ensure that all the traffic between VNet1 and VNet2 traverses the Microsoft backbone network. What should you configure?

Options:

- A- ExpressRoute
- B- a private endpoint
- C- peering
- D- a route table

Answer:

A

Question 8

Question Type: MultipleChoice

Case Study: Mix Questions

Mix Questions

AZ-104 Mix Questions IN THIS CASE STUDY

You have an Azure subscription that contains the virtual machines shown in the following table.

You deploy a load balancer that has the following configurations:

- * Name: LB 1
- * Type: Internal
- * SKU: Standard
- * Virtual network: VNET1

You need to ensure that you can add VM1 and VM2 to the backend pool of LB1.

Solution: You create two Standard SKU public IP addresses and associate a Standard SKU public IP address to the network interface of each virtual machine.

Does this meet the goal?

Options:

- A- Yes
- B- No

Answer:

A

Question 9

Question Type: Hotspot

Case Study: Mix Questions

Mix Questions

AZ-104 Mix Questions IN THIS CASE STUDY

You have an Azure subscription.

You plan to create the Azure Storage account as shown in the following exhibit.



Microsoft Azure Search resources, services, and docs (G+/)

Home > Subscriptions > Subscription1 - Resources > New > Create storage account

Create storage account

✓ Validation passed

Basics Networking Advanced Tags Review + create

Basics

Subscription	Subscription1
Resource group	RG1
Location	(Europe) North Europe
Storage account name	storage16852
Deployment model	Resource manager
Account kind	StorageV2 (general purpose v2)
Replication	Locally-redundant storage (LRS)
Performance	Standard
Access tier (default)	Hot

Networking

Connectivity method	Private endpoint
Private Endpoint	(New) StorageEndpoint1 (blob) (privatelink.blob.core.windows.net)

Advanced

Secure transfer required	Enabled
Large file shares	Disabled
Blob soft delete	Disabled
Blob change feed	Disabled
Hierarchical namespace	Disabled
NFS v3	Disabled

[Download a template for automation](#)

Create < Previous Next >

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

The minimum number of copies of the storage account will be [answer choice].

- 1
- 2
- 3
- 4

To reduce the cost of infrequently accessed data in the storage account, you must modify the [answer choice] setting.

- Access tier (default)
- Performance
- Account kind
- Replication

Answer:

See the Answer in the Premium Version!

Question 10

Question Type: Hotspot

Case Study: Mix Questions

Mix Questions

AZ-104 Mix Questions IN THIS CASE STUDY

You have a Microsoft Entra tenant named adatum.com that contains the groups shown in the following table.

Name	Type	Member of
Group1	Security	None
Group2	Security	Group1

Adatum.com contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2

You assign a Microsoft Entra ID P2 license to Group1 as shown in the following exhibit.

Assign license ...

 Got feedback?

Users and groups **Assignment options** Review + assign

Azure Active Directory Premium P2

Azure Active Directory Premium P1

Off On

Azure Active Directory Premium P2

Off On

Microsoft Azure Multi-Factor Authentication

Off On

Microsoft Defender for Cloud Apps Discovery

Off On

Group2 is NOT directly assigned a license.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE Each correct selection is worth one point.

Answer Area

Statements

You can assign User1 the Microsoft Defender for Cloud Apps Discovery license.

Yes

☐

No

☐

You can remove the Microsoft Entra ID P2 license from User1.

☐
☐

User2 is assigned the Microsoft Entra ID P2 license.

☐
☐

Answer:

See the Answer in the Premium Version!

Question 11

Question Type: MultipleChoice

Case Study: Mix Questions

Mix Questions

AZ-104 Mix Questions IN THIS CASE STUDY

You have an Azure subscription that contains eight virtual machines and the resources shown in

the following table.

Name	Description
storage1	Storage account
storage2	Storage account
VNET1	Virtual network with a single subnet that has five virtual machines connected
VNET2	Virtual network with a single subnet that has three virtual machines connected

You need to configure access for VNET1. The solution must meet the following requirements:

- * The virtual machines connected to VNET1 must be able to communicate with the virtual machines connected to VNET2 by using the Microsoft backbone.
- * The virtual machines connected to VNET1 must be able to access storage1, storage2, and Microsoft Entra ID by using the Microsoft backbone.

What is the minimum number of service endpoints you should add to VNET1?

Options:

- A- 1
- B- 2
- C- 3
- D- 5

Answer:

C

To Get Premium Files for AZ-104 Visit

<https://www.p2pexams.com/products/az-104>

For More Free Questions Visit

<https://www.p2pexams.com/microsoft/pdf/az-104>

20%
DISCOUNT

P2P
exams