



**Free Questions for  $C_{24}H_{62}$  by [certsinside](#)**

**Shared by [Gibbs](#) on 02-09-2024**

**For More Free Questions and Preparation Resources**

**[Check the Links on Last Page](#)**

## Question 1

---

**Question Type:** MultipleChoice

---

You are setting up a new webhooks endpoint and you would like to retrieve the profile object on receipt of the "Account logged in" notification. What method would you recommend?

### Options:

---

- A- accounts search with 'SELECT profile FROM emailAccounts WHERE profile.email=Semail from notification\$
- B- accounts.getAccountinfo with UID from notification
- C- accounts search with 'SELECT profile FROM account WHERE profile email = Semail from notification\$
- D- Use the profile object sent in the notification payload.

### Answer:

---

B

## Question 2

---

**Question Type:** MultipleChoice

---

You are trying to export subscription data by executing the accounts.search API. You are receiving an error. Which query would result in a successful response?

**Options:**

---

- A- SELECT \* FROM newsletterAccounts
- B- SELECT \* FROM emailAccounts
- C- SELECT FROM preferenceAccounts
- D- SELECT FROM subscriptionAccounts

**Answer:**

---

B

## Question 3

---

**Question Type:** MultipleChoice

---

The client would like to create a new optional consent for data sharing. What consent type needs to be chosen?

**Options:**

---

- A- Privacy Policy
- B- Terms of Service
- C- Subscription
- D- Other consent statement

**Answer:**

---

D

## Question 4

---

**Question Type: MultipleChoice**

---

Which authorization framework supports both coarse-grained and fine-grained authorization?

**Options:**

---

- A- Access control based on lists and roles

- B- Access control based on policies
- C- Access control based on roles
- D- Access control based on attributes

**Answer:**

---

D

## Question 5

---

**Question Type:** MultipleChoice

---

What attribute in a JSON Web Token (JWT) represents the UID of the user?

**Options:**

---

- A- id
- B- iss
- C-
- D- sub

**Answer:**

---

D

## Question 6

---

**Question Type:** MultipleChoice

---

What are the recommended methods for adding dynamic data to a consent record? Note: There are 2 correct answers to this question

**Options:**

---

**A-** Tags

**B-** Custom field

**C-** Placeholders

**D-** Entitlements

**Answer:**

---

A, C

## Question 7

---

**Question Type:** MultipleChoice

---

You want to fetch a preference object from a customer in SAP Customer Data Cloud using an API. Which one would you use?

### Options:

---

- A- accounts.getAccountinfo
- B- accounts.getSchema
- C- accounts.getConsentStatements
- D- accounts.getPolicies

### Answer:

---

A

## Question 8

---

**Question Type:** MultipleChoice

---

You need to modify the data schema to keep a log of customer orders in SAP Customer Data Cloud. What is the recommended way to achieve that?

**Options:**

---

- A- Modify the accounts data schema to add an array of orders attribute.
- B- Add a custom type to the Data Store and provide a UID when storing customer order documents.
- C- Update the profile schema according to the order data structure.
- D- Add a JSON document to the custom data.

**Answer:**

---

B

## Question 9

---

**Question Type:** MultipleChoice

---

What is the purpose of the profile schema?



**Options:**

---

- A- To store the risk score of users
- B- To store device data of users
- C- To store a predefined set of customer fields common to all sites
- D- To store the transactions of users

**Answer:**

---

C

**To Get Premium Files for C\_C4H62\_2408 Visit**

**[https://www.p2pexams.com/products/c\\_c4h62\\_2408](https://www.p2pexams.com/products/c_c4h62_2408)**

**For More Free Questions Visit**

**<https://www.p2pexams.com/sap/pdf/c-c4h62-2408>**

